

## YDEEVNEDEKLARATION

### DoP 0256

til fischer FIF - PN (Nylondübel til anvendelse i beton og murværk)

DA

1. <u>Varetypens unikke identifikationskode:</u>	DoP 0256		
2. <u>Anvendelsesformål:</u>	Fastsømt nylonanker til fastgørelse af udvendigt varmeisolerende kompositsystemer (ETICS) med puds i beton og murværk., se appendiks, specifikt Bilage B1- B3.		
3. <u>Fabrikant:</u>	fischerwerke GmbH & Co. KG, Klaus-Fischer-Str. 1, 72178 Waldachtal, Tyskland		
4. <u>Bemyndiget repræsentant:</u>	-		
5. <u>System(er) til vurdering og kontrol af konstansen af ydeevnen:</u>	2+		
6. <u>Europæisk vurderingsdokument:</u> Europæisk Teknisk Vurdering Teknisk vurderingsorgan: Notificeret organ(er)	EAD 330196-01-0604 ETA-18/0253; 2018-05-29 DIBt- Deutsches Institut für Bautechnik 2873 TU Darmstadt		
7. <u>Deklareret ydeevne(r):</u> <b>Sikkerhed under anvendelse (BWR 4)</b> <b>Karakteristisk bæreevne:</b>	<b>Karakteristisk modstand under træklast:</b> <b>Minimum kantafstand:</b> <b>Minimum indbyrdes afstand:</b>	<b>Bilag C1</b> <b>Bilag B2</b> <b>Bilag B2</b>	
<b>Forskydninger:</b>	<b>Træklast med delvis faktor:</b> <b>Forskydninger:</b>	<b>Bilag C1</b> <b>Bilag C1</b>	
<b>Pladestivhed:</b>	<b>Diameter på ankerplade:</b> <b>Belastningsmodstand på ankerpladen:</b> <b>Pladestivhed:</b>	<b>Bilag C1</b> <b>Bilag C1</b> <b>Bilag C1</b>	
<b>Energibesparelse og varmelagring (BWR 6)</b> <b>Termisk transmission:</b>	<b>Termisk transmission for et anker:</b> <b>Tykkelse på ETICS isoleringslag:</b>	<b>Bilag C1</b> <b>Bilag C1</b>	
8. <u>Relevant teknisk dokumentation og/eller specifik teknisk dokumentation:</u>	-		

Ydeevnen for den vare, der er anført ovenfor, er i overensstemmelse med den deklarerede ydeevne. Denne ydeevnedeklaration er udarbejdet i overensstemmelse med forordning (EU) nr. 305/2011 på eneansvar af den fabrikant, der er anført ovenfor.

Underskrevet for fabrikanten og på dennes vegne af:



Dr. Oliver Geibig, Administrerende direktør Forretningsenheder og ingeniørarbejde  
Tumlingen, 2021-01-15



Jürgen Grün, Administrerende direktør Kemi & Kvalitet

Denne DoP er tilgængelig i forskellige sprogversioner. I tilfælde af fortolkningsmæssig uoverensstemmelse, henvises der til den engelske version, som altid er gældende.

Appendikset indeholder frivillige og udvidede informationer på engelsk. Disse overgår de lokale (sprognære) retslige krav.

## Specific Part

### 1 Technical description of the product

The fischer FIF - PN consists of a plastic sleeve made of polypropylene (virgin material), a plate and an accompanying specific nail made of glass fibre reinforced polyamide (virgin material).  
The anchor may in addition be combined with the slip-on-plate DT 90, DT 110 and DT 140.  
The product description is given in Annex A.

### 2 Specification of the intended use in accordance with the applicable European Assessment Document

The performances given in Section 3 are only valid if the anchor is used in compliance with the specifications and conditions given in Annex B.

The verification and assessment methods on which this European Technical Assessment is based lead to the assumption of a working life of the anchor of at least 25 years. The indications given on the working life cannot be interpreted as a guarantee given by the producer, but are to be regarded only as a means for choosing the right products in relation to the expected economically reasonable working life of the works.

### 3 Performance of the product and references to the methods used for its assessment

#### 3.1 Safety and accessibility in use (BWR 4)

Essential characteristic	Performance
Characteristic tension resistance	See Annex C 1
Edge distances and spacing	See Annex B 2
Plate stiffness	See Annex C 1
Displacements	See Annex C 1

#### 3.2 Energy economy and heat retention (BWR 6)


Essential characteristic	Performance
Point thermal transmittance	See Annex C 1

### 4 Assessment and verification of constancy of performance (AVCP) system applied, with reference to its legal base

In accordance with EAD No. 330196-01-0604, the applicable European legal act is: [97/463/EC].

The system to be applied is: 2+

## Installed anchor: FIF-PN



### Legend

- $h_{nom}$  = Overall plastic anchor embedment depth in the base material
- $h_1$  = Depth of drilled hole to deepest point
- $h$  = Thickness of member (wall)
- $h_D$  = Thickness of insulation material
- $t_{tol}$  = Thickness of equalizing layer or non-load bearing coating

Figures not to scale


fischer FIF-PN

**Product description**  
Installed anchor

**Annex A 1**

Appendix 2 / 8

## Single parts : FIF-PN



- 1) Various length of the anchors are possible:  
 $L_a = L_n$  (length of accompanying specific nail) + 5 mm






Determination of maximum thickness of insulation:  $h_D = L_a - h_{nom} - t_{tol}$

e.g. FIF-PN 8x150:

$L_a = 148$  mm,  $h_{nom} = 35$  mm,  $t_{tol} = 10$  mm

$h_D = 148 - 35 - 10 \approx 100$  mm

**Table A2.1: Marking**

Anchor Type	FIF-PN
Anchor plate diameter	Ø 60 mm
Works symbol	 or  or blank
Size of anchor	Ø 8 mm
Length of anchor	$L_a$
Example	fischer (optional) FIF-PN  or  or blank CE (optional)  Ø 8 (optional) ABCDE (optional) XXXXXX= additional marking possible

Figures not to scale

fischer FIF-PN

**Product description**  
Anchor type and Marking

**Annex A 2**

Appendix 3 / 8


**Table A3.1: Dimensions**

Anchor Type	Anchor Sleeve				Accompanying specific nail		
	$\varnothing d_d$	$h_{nom}$	$L_{a,min}$	$L_{a,max}$	$\varnothing d_n$	$L_1$	$\varnothing d_1$
	[mm]						
FIF-PN	8	35	110	230	4,4	40	8

**Table A3.2: Materials**

Designation	Material
Anchor sleeve	PP (virgin material), colour: grey
Anchor plate	PA6 (virgin material) GF; colour: grey
Special nail	PA6 GF (virgin material), colour: nature

**Drawing of the slip-on plate**



**Table A3.3: Slip-on plate, diameters and material**

Slip-on plate	$\varnothing D$	$\varnothing d_d$	$d$	Material
	[mm]			
DT 90 / 110 / 140	90 / 110 / 140	22,5	3,9	PA6 GF

Figures not to scale

fischer FIF-PN

**Product description**

Dimensions, Material, Slip-on plate combined with FIF-PN

**Annex A 3**

Appendix 4 / 8

## Specifications of intended use

### Anchorage subject to:

- The anchor may only be used for transmission of wind suction loads and shall not be used for the transmission of dead loads of the external thermal insulation composite system (ETICS).

### Base materials:

- Normal weight concrete (use category A), according to Annex C1.
- Solid masonry (use category B), according to Annex C1.
- Hollow or perforated masonry (use category C), according to Annex C1.
- Lightweight aggregate concrete (use category D), according to Annex C1.
- Autoclaved aerated concrete (use category E), according to Annex C1.
- For other base materials of the use categories A, B, C, D or E, characteristic resistance of the anchor may be determined by job site tests acc. to EOTA Technical Report TR 051 Edition December 2016.

### Temperature Range:

- 0°C to +40°C (max. short term temperature +40°C and max. long term temperature +24°C).

### Design:

- The anchorages are designed under the responsibility of an engineer experienced in anchorages and masonry work with the partial safety factors  $\gamma_M = 2,0$  and  $\gamma_F = 1,5$ , if there are no other national regulations.
- Verifiable calculation notes and drawings are prepared taking account of the loads to be anchored. The position of the anchors is indicated on the design drawings.
- Fasteners are only to be used for multiple fixings of ETICS.

### Installation:

- Drill method according to Annex C1.
- Anchor installation carried out by appropriately qualified personnel and under the supervision of the person responsible for technical matters on the site.
- Installation temperature from 0°C to +40°C
- Exposure to UV due to solar radiation of the anchor not protected by rendering  $\leq 6$  weeks.

fischer FIF-PN

**Intended use**  
Specification

**Annex B 1**

Appendix 5 / 8

**Table B2.1: Installation parameters**


Anchor type		FIF-PN
Drill hole diameter	$d_0 =$	8
Cutting diameter of drill bit	$d_{cut} \leq$	8,45
Depth of drill hole to deepest point	$h_1 \geq$	45 / 65 <sup>1)</sup>
Overall plastic anchor embedment depth in the base material	$h_{nom} \geq$	35 / 55 <sup>1)</sup>

<sup>1)</sup> only for use cat. "D" and "E"

**Table B2.2: Minimum thickness, distance and spacing**

Anchor type		FIF-PN
Minimum thickness of member	$h_{min}$	100
Minimum spacing	$s_{min} =$	100
Minimum edge distance	$c_{min}$	100

**Scheme of distance and spacing**



Figures not to scale

fischer FIF-PN





**Intended use**

Installation parameters, minimum thickness, distances and spacings

**Annex B 2**

Appendix 6 / 8

## Installation instructions:



1. Drill the bore hole by the parameters acc. to Table B2.1 and the corresponding drilling method acc. to Annex C1.

2. Insert anchor manually.

3. Set anchor by hammer blows.

4. Correctly installed anchor.

Figures not to scale

fischer FIF-PN

**Intended use**  
Installation instruction

**Annex B 3**

Appendix 7 / 8



**Table C1.1: Characteristic tension resistance  $N_{RK}$  for a single anchor**

Base material	Use cat.	Bulk density $\rho$ [kg/dm <sup>3</sup> ]	Min. compressive strength $f_b$ [N/mm <sup>2</sup> ]	Remarks	Drill <sup>1)</sup> method	Characteristic resistance $N_{RK}$ [kN]
Normal weight concrete $\geq$ <b>C12/15 – C50/60</b> acc. to EN 206:2013	A				H	<b>0,5</b>
Clay bricks <b>Mz</b> , acc. to EN 771-1:2011	B	$\geq 2,0$	12	Cross section reduced up to 15% by perforation vertically to the resting area	H	<b>0,5</b>
Vertically perforated clay bricks e.g. acc. to EN 771-1:2011, <b>Hlz</b>	C	$\geq 1,0$	12	Cross section between 15% and 50% by perforation vertically to the resting area. Exterior web thickness $\geq 12$ mm	R	<b>0,4</b>
Lightweight Aggregate Concrete $\geq$ <b>LAC</b> acc. to EN 1520:2011	D	$\geq 0,8$	6	Minimum thickness of brick or exterior web $t \geq 50$ mm	H	<b>0,3</b>
Autoclaved aerated concrete blocks, e.g. <b>AAC</b> acc. to EN 771-4 $h_{nom} = 35$ mm	E	$\geq 0,50$	4	DIN V 4165-100	R	<b>0,3</b>

<sup>1)</sup> H = Hammer drilling R = Rotary drilling

**Table C1.2: Point thermal transmittance acc. to EOTA Technical Report TR 025: 2016-05**

Anchor type	Thickness of insulation material $h_D$ [mm]	Point thermal transmittance $\chi$ [W/K]
FIF-PN	60 - 180	0,000

**Table C1.3: Plate stiffness acc. to EOTA Technical Report TR 026: 2016-05**

Anchor type	Diameter of the anchor plate [mm]	Load resistance of the anchor plate [kN]	Plate stiffness [kN/mm]
FIF-PN	60	1,63	0,63

**Table C1.4: Displacements of the FIF-PN**

Base material	Tension load F [kN]	Displacement $s$ $\delta$ [mm]
Concrete C12/15 – C50/60 (EN 206-1:2000)	0,15	< 0,2
Clay bricks, <b>Mz 12</b> (EN 771-1:2011)	0,15	< 0,2
Vertically perforated Clay brick, <b>Hlz 12</b> (EN 771-1:2011)	0,13	< 0,4
Lightweight Aggregate Concrete $\geq$ <b>LAC 6</b> DIN EN 1520	0,10	< 0,2
Autoclaved aerated concrete blocks, <b>AAC 4</b> (EN 771-4) $h_{nom} = 35$ mm	0,10	< 0,2

fischer FIF-PN

**Performance**

Characteristic tension resistance, point thermal transmittance, plate stiffness, displacements

**Annex C 1**

Appendix 8 / 8