



Approval body for construction products and types of construction

Bautechnisches Prüfamt

An institution established by the Federal and Laender Governments



European Technical Assessment

ETA-10/0169 of 22 August 2017

English translation prepared by DIBt - Original version in German language

General Part

Technical Assessment Body issuing the European Technical Assessment:

Trade name of the construction product

Product family to which the construction product belongs

Manufacturer

Manufacturing plant

This European Technical Assessment contains

This European Technical Assessment is issued in accordance with Regulation (EU) No 305/2011, on the basis of

Deutsches Institut für Bautechnik

Upat Express Anchor IMC

Torque controlled expansion anchor for use in non-cracked concrete

Upat Vertriebs GmbH Bebelstraße 11 79108 Freiburg im Breisgau DEUTSCHLAND

Upat

14 pages including 3 annexes which form an integral part of this assessment

European Assessment Document (EAD) 330232-00-0601



European Technical Assessment ETA-10/0169

Page 2 of 14 | 22 August 2017

English translation prepared by DIBt

The European Technical Assessment is issued by the Technical Assessment Body in its official language. Translations of this European Technical Assessment in other languages shall fully correspond to the original issued document and shall be identified as such.

Communication of this European Technical Assessment, including transmission by electronic means, shall be in full. However, partial reproduction may only be made with the written consent of the issuing Technical Assessment Body. Any partial reproduction shall be identified as such.

This European Technical Assessment may be withdrawn by the issuing Technical Assessment Body, in particular pursuant to information by the Commission in accordance with Article 25(3) of Regulation (EU) No 305/2011.

Z37825.17 8.06.01-51/17



European Technical Assessment ETA-10/0169 English translation prepared by DIBt

Page 3 of 14 | 22 August 2017

Specific Part

1 Technical description of the product

The Upat Express Anchor IMC is an anchor made of zinc plated, hot-dip galvanised or stainless steel which is placed into a drilled hole and anchored by torque-controlled expansion.

The product description is given in Annex A.

2 Specification of the intended use in accordance with the applicable European Assessment Document

The performances given in Section 3 are only valid if the anchor is used in compliance with the specifications and conditions given in Annex B.

The verifications and assessment methods on which this European Technical Assessment is based lead to the assumption of a working life of the anchor of at least 50 years. The indications given on the working life cannot be interpreted as a guarantee given by the producer, but are to be regarded only as a means for choosing the right products in relation to the expected economically reasonable working life of the works.

3 Performance of the product and references to the methods used for its assessment

3.1 Mechanical resistance and stability (BWR 1)

| Essential characteristic | Performance |
|---|-----------------------|
| Characteristic resistance for tension and shear loads in concrete | See Annex C 1 and C 2 |
| Edge distances and spacing | See Annex C 1 and C 2 |
| Displacements under tension and shear loads | See Annex C 3 |

3.2 Safety in case of fire (BWR 2)

| Essential characteristic | Performance |
|--------------------------|--|
| Reaction to fire | Anchorages satisfy requirements for Class A1 |
| Resistance to fire | No performance assessed |

4 Assessment and verification of constancy of performance (AVCP) system applied, with reference to its legal base

In accordance with European Assessment Documents EAD No. 330232-00-0601 the applicable European legal act is: [96/582/EC].

The system to be applied is: 1

Z37825.17 8.06.01-51/17



European Technical Assessment ETA-10/0169

Page 4 of 14 | 22 August 2017

English translation prepared by DIBt

5 Technical details necessary for the implementation of the AVCP system, as provided for in the applicable European Assessment Document

Technical details necessary for the implementation of the AVCP system are laid down in the control plan deposited at Deutsches Institut für Bautechnik.

Issued in Berlin on 22 August 2017 by Deutsches Institut für Bautechnik


Lars Eckfeldt p.p. Head of Department

beglaubigt: Baderschneider


Z37825.17 8.06.01-51/17




Cone bolt manufactured by cold - forming:



Cone bolt manufactured by turning:





- ① Cone bolt (cold formed or turned)
- ② Expansion sleeve
- 3 Hexagon nut
- Washer

 h_{ef} = Effective anchorage depth

 t_{fix} = Thickness of fixture

 h_1 = Drill hole depth

 $h_{min} =$ Thickness of concrete member


T_{inst} = Required torque moment

Upat Anchor Bolt IMC

Product description Installed condition Annex A 1



IMC for use with standard and reduced anchorage depth (hef, sta and hef, red)



Product marking, example:

U-IMC

Plant identification | type of anchor placed on marking area 2 or marking area 3


12/10 A4

thread size / thickness of fixture (t_{fix}) for h_{ef, sta} identification A4 placed on marking area 2

Table A1: Letter-code on marking area 1 and maximum thickness of fixture tfix:

| marking | | Α | В | С | D | Е | F | G | Н | _ | K | L | М | N | 0 | Р | R | S | T | U | ٧ | W | Χ | Υ | Z |
|--|---------|----|----|----|----|----|----|----|----|----|----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| max. t _{fix} for h _{ef, sta} | M6-M20 | 5 | 10 | 15 | 20 | 25 | 30 | 35 | 40 | 45 | 50 | 60 | 70 | 80 | 90 | 100 | 120 | 140 | 160 | 180 | 200 | 250 | 300 | 350 | 400 |
| | M8, M10 | 15 | 20 | 25 | 30 | 35 | 40 | 45 | 50 | 55 | 60 | 70 | 80 | 90 | 100 | 110 | 130 | 150 | 170 | 190 | 210 | 260 | 310 | 360 | 410 |
| max. t _{fix} | M12, 16 | 20 | 25 | 30 | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 75 | 85 | 95 | 105 | 115 | 135 | 155 | 175 | 195 | 215 | 265 | 315 | 365 | 415 |
| for h _{ef, red} | M20 | 30 | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 85 | 95 | 105 | 115 | 125 | 145 | 165 | 185 | 205 | 225 | 275 | 325 | 375 | 425 |

IMC K for use with reduced anchorage depth only (hef, red):



Product marking, example:

U-IMC

Plant identification | type of anchor | thread size / thickness of fixture (t_{fix}) |
identification K for h_{ef, red} | identification A4 |
placed on marking area 2

Table A2: Letter-code on marking area 1 and maximum thickness of fixture t_{fix}:

| marking | -A- | -B- | -C- | -D- | -E- | ₽- | -G- | -H- | - - | -K- | ÷ | -M- | -N- | -0- | -P- | -R- | -S- | -T- | -U- | -V- | -W- | -X- | -Y- | -Z- |
|---|-----|-----|-----|-----|-----|----|-----|-----|-----|-----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| max. t _{fix} for h _{ef, red} M8-M2 | 0 5 | 10 | 15 | 20 | 25 | 30 | 35 | 40 | 45 | 50 | 60 | 70 | 80 | 90 | 100 | 120 | 140 | 160 | 180 | 200 | 250 | 300 | 350 | 400 |

Upat Anchor Bolt IMC

Product description
Anchor Types

Annex A 2






Table A3: Anchor dimensions [mm]

| Dort | Designation | | | IMC, IMCA4 | | | | | | | | | |
|--------|------------------|----------------------------|---|------------|------|------|------|------|------|--|--|--|--|
| Part | Designation | | | М6 | M8 | M10 | M12 | M16 | M20 | | | | |
| | | М | = | M6 | M8 | M10 | M12 | M16 | M20 | | | | |
| 1 | Cone bolt | $\emptyset d_0$ | = | 5,9 | 7,9 | 9,9 | 11,9 | 15,9 | 19,6 | | | | |
| | | $\emptyset d_k$ | = | 5,2 | 7,1 | 8,9 | 10,8 | 14,5 | 18,2 | | | | |
| 2 | Expansion sleeve | m | = | 10 | 11,5 | 13,5 | 16,5 | 21,5 | 33,5 | | | | |
| 3 | Hexagon nut | SW | = | 10 | 13 | 17 | 19 | 24 | 30 | | | | |
| 4 | Washer | ts | ≥ | 1,0 | 1,4 | 1,8 | 2,3 | 2,7 | 2,7 | | | | |
| 4 | Washer | \emptyset d _s | ≥ | 11,5 | 15 | 19 | 23 | 29 | 36 | | | | |
| Thicks | ess of fixture | | ≥ | 0 | 0 | 0 | 0 | 0 | 0 | | | | |
| THICKI | less of fixture | t _{fix} | ≤ | 200 | 200 | 250 | 300 | 400 | 500 | | | | |
| Longth | n of anchor | L_{min} | - | 45 | 56 | 71 | 86 | 120 | 139 | | | | |
| Lengu | i di alicildi | L _{max} | - | 245 | 261 | 316 | 396 | 520 | 654 | | | | |

| Upat Anchor Bolt IMC | |
|---------------------------------------|-----------|
| Product description Anchor dimensions | Annex A 3 |



Table A4: Materials IMC (zinc plated $\geq 5\mu m$, DIN EN ISO 4042: 2001-01)

| Part | Designation | Material |
|------|------------------|---------------------------------------|
| 1 | Cone bolt | Cold form steel or free cutting steel |
| 2 | Expansion sleeve | Cold strip 1) |
| 3 | Hexagon nut | Steel, property class 8 |
| 4 | Washer | Cold strip |

¹⁾ Optional stainless steel

Table A5: Materials IMC (hot-dip galvanized \geq 50 μ m, ISO 10684: 2004 1)

| Part | Designation | Material |
|------|------------------|---------------------------------------|
| 1 | Cone bolt | Cold form steel or free cutting steel |
| 2 | Expansion sleeve | Stainless steel |
| 3 | Hexagon nut | Steel, property class 8 |
| 4 | Washer | Cold strip |

¹⁾ Alternative method sherardized ≥ 50 μm, EN 13811:2003

Table A6: Materials IMC A4

| Part | Designation | Material |
|------|------------------|--------------------------------------|
| 1 | Cone bolt | Stainless steel |
| 2 | Expansion sleeve | Stainless steel |
| 3 | Hexagon nut | Stainless steel, property class ≥ 70 |
| 4 | Washer | Stainless steel |

Upat Anchor Bolt IMC

Product description
Materials

Annex A 4

English translation prepared by DIBt



Specifications of intended use

| Upat | Anchor Bolt IMC, | IMC A4 | M6 | M8 | M10 | M12 | M16 | M20 | | | | |
|-----------|--------------------|--------------------|-----|-----|-----|-----|-----|-----|--|--|--|--|
| | Steel | Zinc plated | / | | | | | | | | | |
| <u>''</u> | Steel | Hot-dip galvanized | • | . / | | | | | | | | |
| Mater | Stainless steel | A4 | ✓ · | | | | | | | | | |
| Statio | c and quasi-static | loads | | | / | | | | | | | |
| Redu | uced anchorage de | - | | | / | | | | | | | |
| Uncr | acked concrete | | | / | | | | | | | | |

Base materials:

- Normal weight concrete according to EN 206-1:2000
- Strength classes C20/25 to C50/60 according to EN 206-1:2000

Use conditions (Environmental conditions):

- Structures subject to dry internal conditions (IMC, IMC A4)
- Structures subject to external atmospheric exposure (including industrial and marine environment) and to permanently damp internal condition, if no particular aggressive conditions exist (IMC A4)

Note: Particular aggressive conditions are e.g. permanent, alternating immersion in seawater or the splash zone of seawater, chloride atmosphere of indoor swimming pools or atmosphere with extreme chemical pollution (e.g. in desulphurization plants or road tunnels where deicing materials are used)

Design:

- Anchorages are to be designed under the responsibility of an engineer experienced in anchorages and concrete work
- Verifiable calculation notes and drawings are to be prepared taking account of the loads to be anchored.
 The position of the anchor is indicated on the design drawings (e.g. position of the anchor relative to reinforcement or to supports, etc.)
- Design of fastenings according to FprEN 1992-4: 2016 and EOTA Technical Report TR 055

Installation:


- Anchor installation carried out by appropriately qualified personnel and under the supervision of the person responsible for technical matters of the site
- Hammer or hollow drilling according to Annex B3

| Upat Anchor Bolt IMC | |
|--------------------------------|-----------|
| Intended Use Specifications | Annex B 1 |



Table B1: Installation parameters

| Type of anchor / size IMC, I | MC A4 | | M6 | M8 | M10 | M12 | M16 | M20 |
|---|-----------------------|------|------------------|---------------------------|------------------------|------------------------|-------------------------|--------------------------|
| Nominal drill hole diameter | $d_0 =$ | [mm] | 6 | 8 | 10 | 12 | 16 | 20 |
| Cutting diameter of drill bit | $d_{\text{cut}} \leq$ | [mm] | 6,45 | 8,45 | 10,45 | 12,5 | 16,5 | 20,55 |
| Effective anchorage depth | h _{ef} = | [mm] | 30 ²⁾ | 40 (30 ^{1) 2)}) | 50 (40 ¹⁾) | 65 (50 ¹⁾) | 80 (65 ¹⁾) | 105 (80 ¹⁾) |
| Depth of drill hole in concrete | h₁ ≥ | [mm] | 40 | 56 (46 ^{1) 2)}) | 68 (58 ¹⁾) | 85 (70 ¹⁾) | 104 (89 ¹⁾) | 135 (110 ¹⁾) |
| Diameter of clearance hole in the fixture | $d_{f} \leq$ | [mm] | 7 | 9 | 12 | 14 | 18 | 22 |
| Required torque moment IMC (zinc plated) | T _{inst} = | [Nm] | 4 | 15 | 30 | 50 | 100 | 200 |
| Required torque moment IMC (hot-dip galvanized) | T _{inst} = | [Nm] | - | 15 | 30 | 40 | 70 | 200 |
| Required torque moment IMC A4 | T _{inst} = | [Nm] | 4 | 10 | 20 | 35 | 80 | 150 |



= Effective anchorage depth

 t_{fix} = Thickness of fixture h_1 = Drill hole depth

 $h_{min} =$ Thickness of concrete member

T_{inst} = Required torque moment

| Upat Anchor Bolt IMC | |
|---|-----------|
| Intended Use Installation instructions | Annex B 2 |

¹⁾ Only for reduced anchorage depth ²⁾ Use restricted to anchoring of structural components which are statically indeterminate


English translation prepared by DIBt




Table B2: Minimum thickness of concrete members, minimum spacing and minimum edge distance

| | Type of anchor / size IMC, IMC | М6 | M8 | M10 | M12 | M16 | M20 | | |
|--------------------------------|--------------------------------|----------------------|------|------------------|---------------------------|---------------------------|-----|----------------------------|-----------------------------|
| | Effective anchorage depth | h _{ef, sta} | [mm] | 30 ²⁾ | 40 | 50 | 65 | 80 | 105 |
| age h | Minimum thickness of member | h _{min} | [mm] | 100 | 100 | 100 | 120 | 160 | 200 |
| Standard anchorage depth | Minimum spacing | S _{min} | [mm] | 40 | 40 | 50 (70 ¹⁾) | 70 | 90 (120 ¹⁾) | 120 |
| S an | Minimum edge distance | C _{min} | [mm] | 40 | 40 (45 ¹⁾) | 50 (55 ¹⁾) | 70 | 90 (80 ¹⁾) | 120 |
| | Effective anchorage depth | h _{ef, red} | [mm] | - | 30 ²⁾ | 40 | 50 | 65 | 80 |
| ed age | Minimum thickness of member | h _{min} | [mm] | - | 100 | 100 | 100 | 120 | 160 |
| Reduced anchorage depth | Minimum spacing | S _{min} | [mm] | - | 40 (50 ¹⁾) | 50 | 70 | 90 | 120 (140 ¹⁾) |
| an | Minimum edge distance | C _{min} | [mm] | - | 40 (45 ¹⁾) | 80 | 100 | 120 | 120 |

Installation instructions



Continue with step 3, 4 and 5



| No. | De | scription | | | | | |
|-----|---|---|--|--|--|--|--|
| 1 | Create drill hole with hammer drill | Create drill hole with hollow drill and vacuum cleaner | | | | | |
| 2 | Clean bore hole | - | | | | | |
| 3 | Set anchor | | | | | | |
| 4 | 4 Expand anchor with prescribed installation torque T _{inst} 5 Finished installation | | | | | | |
| 5 | | | | | | | |

| | Types of drills |
|--------------|-----------------|
| Hammer drill | B100000000 |
| Hollow drill | |

| Upat Anchor Bolt IMC | |
|--|-----------|
| Intended Use Minimum spacing and edge distance Installation instructions | Annex B 3 |

 $^{^{1)}}_{\rm 2)}$ Only for IMC A4 $^{2)}_{\rm Use}$ restricted to anchoring of structural components which are statically indeterminate



Table C1: Characteristic values of tension resistance for standard and reduced anchorage depth under static and quasi-static action

| Type of anchor / size | | | M6 | M8 | M10 | M12 | M16 | M20 | | |
|--|----------------------|-------------|-----------------------------|-------------------|------------------|---------------------|------|-----|--|--|
| Steel failure for standard and | reduced | anchorage | | | | | | | | |
| Characteristic resistance IMC | N _{Rk,s} | [kN] | 8,3 | 16,5 | 27,2 | 41,6 | 77,9 | 107 | | |
| Partial sensitivity factor | | [-] | 1,5 | 1,4 | 1,4 | 1,4 | 1,5 | 1,5 | | |
| Partial sensitivity factor γ _{Ms} Steel failure for standard and redu | | | | | | 1,4 | 1,0 | 1,0 | | |
| Characteristic resistance | reduced | | | | | | l . | | | |
| IMC A4 | N _{Rk,s} | [kN] | 10,6 | 16,5 | 27,2 | 41,6 | 78 | 111 | | |
| Partial sensitivity factor | γMs | [-] | 1,5 | 1,4 | 1,4 | 1,4 | 1,4 | 1,5 | | |
| Pullout failure for standard an | chorage | e depth IMC | C, IMC A | 14 | | | | | | |
| Characteristic resistance C20/25 | $N_{Rk,p}$ | [kN] | 6 ²⁾ | | | - 1) | | | | |
| Pullout failure for reduced and | chorage | depth IMC | , IMC A | 4 | | | | | | |
| Characteristic resistance N _{Rk,p} [kN] - 6 ²⁾ | | | | | | | | | | |
| | | C25/30 | 1,12 | | | | | | | |
| | | C30/37 | 1,23 | | | | | | | |
| Increasing feature for N | Ψc | C35/45 | 1,32 | | | | | | | |
| Increasing factors for N _{Rk,p} | | C40/50 | 1,41 | | | | | | | |
| | | C45/55 | 1,50 | | | | | | | |
| | | C50/60 | 1,58 | | | | | | | |
| Factor for robustness | γinst | [-] | 1,0 | | | | | | | |
| Concrete cone and splitting fa | ailure for | standard | anchorage depth IMC, IMC A4 | | | | | | | |
| Effective anchorage depth | h _{ef, sta} | [mm] | 30 ²⁾ | 40 | 50 | 65 | 80 | 105 | | |
| Factor k ₁ for uncracked | k _{ucr.N} | [-] | | | 11 | 0 | | | | |
| concrete | Nucr,N | [-] | 11,0 | | | | | | | |
| Spacing | S _{cr,N} | [mm] | | | 3 h | ef, sta | | | | |
| Edge distance | C _{cr,N} | [mm] | | | | ef, sta | | | | |
| Spacing (splitting failure) | S _{cr,sp} | [mm] | 130 ²⁾ | 190 | 200 | 290 | 350 | 370 | | |
| Edge distance (splitting failure) | C _{cr,sp} | [mm] | 65 ²⁾ | 95 | 100 | 145 | 175 | 185 | | |
| Concrete cone and splitting fa | | | | | | | | | | |
| Effective anchorage depth | h _{ef, red} | [mm] | - | 30 ²⁾ | 40 | 50 | 65 | 80 | | |
| Factor k ₁ for uncracked concrete | $k_{\text{ucr},N}$ | [-] | | | 11 | ,0 | | | | |
| Spacing | S _{cr,N} | [mm] | | | 3 h _e | of rad | | | | |
| Edge distance | C _{cr,N} | [mm] | | | 1.5 h | er, red lef, red | | | | |
| Spacing (splitting failure) | S _{cr.sp} | [mm] | - | 190 ²⁾ | 200 | 290 | 350 | 370 | | |
| Edge distance (splitting failure) | C _{cr,sp} | [mm] | - | 95 ²⁾ | 100 | 145 | 175 | 185 | | |
| | -Cr,SD | [] | | | | | | | | |

¹⁾ Pullout failure is not relevant

Upat Anchor Bolt IMC

Performances
Characteristic values of tension resistance for standard and reduced anchorage depth

Annex C 1

²⁾ Use restricted to anchoring of structural components which are statically indeterminate



Table C2: Characteristic values of shear resistance for standard and reduced anchorage depth under static and quasi-static action

| Type of anchor / size | | | M6 | M8 | M10 | M12 | M16 | M20 | |
|---|--|------------|-------------------------------|---------------------|-------|------|-------|-----|--|
| Steel failure without lever arm for | standard | and redu | ced anc | horage | depth | | | | |
| Charact. resistance IMC | $V_{Rk,s}$ | [kN] | 6,0 | 13,3 | 21,0 | 31,3 | 55,1 | 67 | |
| Steel failure without lever arm for | standard | and redu | ced anc | horage | depth | | | | |
| Charact. resistance IMC A4 | $V_{Rk,s}$ | [kN] | 5,3 | 12,8 | 20,3 | 27,4 | 51 | 86 | |
| Steel failure with lever arm for sta | | chorage d | epth | | | | | | |
| Charact. bending moment IMC | M ⁰ _{Rk,s} | [Nm] | 9,41) | 26,2 | 52,3 | 91,6 | 232,2 | 422 | |
| Steel failure with lever arm for standard anchorage depth | | | | | | | | | |
| Charact. bending moment IMC A4 | $M^0_{Rk,s}$ | [Nm] | 8 ¹⁾ | 26 | 52 | 85 | 216 | 454 | |
| Steel failure with lever arm for reduced anchorage depth | | | | | | | | | |
| Charact. bending moment IMC | $M^0_{Rk,s}$ | [Nm] | - | 19,9 ¹⁾ | 45,9 | 90,0 | 226,9 | 349 | |
| Steel failure with lever arm for red | | horage de | pth | | | | | | |
| Charact. bending moment IMC A4 | $M^0_{Rk,s}$ | [Nm] | - | 21 ¹⁾ | 47 | 85 | 216 | 353 | |
| Partial sensitivity factor steel failure | al sensitivity factor steel failure γ_{Ms} [-] 1,25 | | | | | | | | |
| Factor for ductility | k ₇ | [-] | | | 1 | ,0 | | | |
| Concrete pryout failure for standa | rd ancho | rage dept | Charles and the second second | MC A4 | | | | | |
| Factor for pry-out | k ₈ | [-] | 1,4 ¹⁾ | 1,8 | 2,1 | 2,3 | 2,3 | 2,3 | |
| Factor for robustness | γinst | [-] | | | 1 | ,0 | | | |
| Concrete pryout failure for reduce | d anchor | age depth | IMC, IN | | | | | | |
| Factor for pry-out | k ₈ | [-] | - | 1,8 ¹⁾ | 2,1 | 2,3 | 2,3 | 2,3 | |
| Factor for robustness | γinst | [-] | | | 1 | ,0 | | | |
| Concrete edge failure for standard | l anchora | ge depth | IMC, IM | C A4 | | | | | |
| Effective length of anchor | $I_{f,sta}$ | [mm] | 30 ¹⁾ | 40 | 50 | 65 | 80 | 105 | |
| Effective diameter of anchor | d_{nom} | [mm] | 6 | 8 | 10 | 12 | 16 | 20 | |
| Factor for robustness | γinst | [-] | | | 1 | ,0 | | | |
| Concrete edge failure for reduced | anchoraç | ge depth I | MC, IMC | CONTROL DESIGNATION | | | | | |
| Effective length of anchor | $I_{f,red}$ | [mm] | - | 30 ¹⁾ | 40 | 50 | 65 | 80 | |
| Effective diameter of anchor | d _{nom} | [mm] | - | 8 | 10 | 12 | 16 | 20 | |
| Factor for robustness | γinst | [-] | | | 1 | ,0 | | | |

¹⁾ Use restricted to anchoring of structural components which are statically indeterminate

Upat Anchor Bolt IMC

Performances
Characteristic values of shear resistance for standard and reduced anchorage depth

Annex C 2



Table C3: Displacements due to tension loads

| Type of anchor / size IMC, IMC A4 | | | M6 | M8 | M10 | M12 | M16 | M20 | | | |
|-----------------------------------|----------------------|------|------------|-----|-----|--------------------------|------|--------------------------|--|--|--|
| Standard anchorage depth | h _{ef, sta} | [mm] | 30 | 40 | 50 | 65 | 80 | 105 | | | |
| Tension load C20/25 | Ν | [kN] | 2,8 | 6,1 | 8,5 | 12,6 | 17,2 | 25,8 | | | |
| Vienlacementa | δ_{N0} | [mm] | 1,9 | 0,6 | 0,9 | 1,5 (1,9 ¹⁾) | 1,8 | 1,8 (2,0 ¹⁾) | | | |
| Displacements | $\delta_{N\infty}$ | [mm] | | | | 3,1 (2,7 ¹⁾) | | | | | |
| Reduced anchorage depth | h _{ef, red} | [mm] | | 30 | 40 | 50 | 65 | 80 | | | |
| Tension load C20/25 | N | [kN] | - | 2,8 | 6,1 | 8,5 | 12,6 | 17,2 | | | |
| Displacements | δ_{N0} | [mm] | | 0,4 | 0,7 | 0,7 | 0,9 | 1,0 | | | |
| Displacements | $\delta_{N\infty}$ | [mm] | 1,6 (1,71) | | | | | | | | |

¹⁾ Only for IMC A4

Table C4: Displacements due to shear loads

| Type of anchor / size IMC, IMC A4 | | | | M8 | M10 | M12 | M16 | M20 |
|-----------------------------------|----------------------|------|-----|-----|------|------|------|------|
| Shear load IMC | ٧ | [kN] | 3,4 | 7,6 | 12,0 | 17,9 | 31,5 | 38,2 |
| Displacements IMC | δ_{V0} | [mm] | 0,7 | 1,5 | 1,6 | 2,0 | 3,0 | 2,6 |
| Displacements INC | δ_{V^∞} | [mm] | 1,1 | 2,3 | 2,4 | 3,0 | 4,5 | 3,9 |
| Shear load IMC A4 | ٧ | [kN] | 3,0 | 7,3 | 11,6 | 15,7 | 29,1 | 49,0 |
| Displacements IMC A4 | δ_{V0} | [mm] | 1,5 | 1,4 | 2,1 | 2,6 | 2,7 | 4,6 |
| Displacements livic A4 | $\delta_{V\infty}$ | [mm] | 2,3 | 2,2 | 3,2 | 3,9 | 4,1 | 7,0 |

Upat Anchor Bolt IMC

Performances
Displacement under tension and shear loads

Annex C 3