

## **DECLARATION OF PERFORMANCE**

DoP-Seal-00008-03

for fischer Construction SI EN

1. Unique identification code of the product-type: DoP-Seal-00008-03

2. Intended use/es: Sealants for façade elements, EN 15651-1:2012: F-EXT-INT (12,5E)

Sealants for sanitary joints, EN 15651-3:2012: S (S1)

3. Manufacturer: fischerwerke GmbH & Co. KG, Klaus-Fischer-Str. 1, 72178 Waldachtal, Germany

4. Authorised representative:

5. System 3, Reaction to fire: System 3

6. <u>Harmonised standard:</u> EN 15651-1:2012, EN 15651-3:2012

Notified body/ies: 0757 IFT Rosenheim

7. Declared performance/s:

Essential characteristics*	Performance	Harmonised technical specification	
(11) Reaction to fire	Class E		
(12) Release of chemical dangerous to the environment and health	evaluated	1	
Water and air tightness			
(13) Resistance to flow	≤ 3 mm	EN 15651-1:2012	
(14) Loss of volume	≤ 25%	EN 15651-1:2012	
(16) Tensile properties (i.e. elongation) at maintained extension after water immersion	NF		
(19) Durability	Pass		

-:			

Essential characteristics*	Performance	Harmonised technical specification	
(31) Reaction to fire	Class E		
(32) Release of chemical dangerous to the environment and health	evaluated	]	
Water and air tightness			
(33) Resistance to flow	≤ 5 mm		
(34) Loss of volume	≤ 55%	EN 15651-3:2012	
(35) Tensile properties (i.e. elongation) after immersion in water at 23 °C (class S)	≥ 25%		
(37) Microbiological growth	0		
(38) Durability	Pass	]	

<sup>\*</sup>Numbering system acc. to EN 15651 with FEICA classification (Publication ref.:POP-EX-J12-035).

NPD = No Performance Determined

NF = No Failure

NR = Not required

8. Appropriate Technical Documentation and/or

Specific Technical Documentation:

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Dr.-Ing. Oliver Geibig, Managing Director Business Units & Engineering

Tumlingen, 2023-10-06

Jürgen Grün, Managing Director Chemistry & Quality

This DoP has been prepared in different languages. In case there is a dispute on the interpretation the English version shall always prevail.

<sup>(\*)</sup> See material safety data sheet.