

### SECTION 1: Kit identification

#### 1.1 Kit identifier

Trade name : FIS HB 345/360 S

Article number : 00562659

#### 1.2 Details of the supplier of the Kit safety information sheet

fischerwerke GmbH & Co. KG

Klaus-Fischer-Straße 1

72178 Waldachtal - Germany

T +49(0)7443 12-0 - F +49(0)7443 12-4222

[info-sdb@fischer.de](mailto:info-sdb@fischer.de) - [www.fischer.de](http://www.fischer.de)

### SECTION 2: General information

Storage : 5 - 25°C

A SDS for each of these components is included. Please do not separate any component SDS from this cover page This product is a Kit which consists of several independently packaged components

This Kit should be handled in accordance with good laboratory practices and appropriate personal protective equipment should be used

### SECTION 3: Kit contents

| Name                                    | Classification according to Regulation (EC) No. 1272/2008 [CLP]                              |
|-----------------------------------------|----------------------------------------------------------------------------------------------|
| FIS HB 345/360 S Component A (Mortar)   | Skin Sens. 1, H317                                                                           |
| FIS HB 345/360 S Component B (Hardener) | Eye Irrit. 2, H319<br>Skin Sens. 1, H317<br>Aquatic Acute 1, H400<br>Aquatic Chronic 1, H410 |



### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

|                |                                              |
|----------------|----------------------------------------------|
| Product form   | : Mixture                                    |
| Trade name     | : FIS HB 345/360 S Component A (Mortar)      |
| UFI            | : DA20-U0DT-A00Y-PK53<br>DA20-U0DT-A00Y-PK53 |
| Article number | : M51                                        |

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Relevant identified uses

|                              |                                                  |
|------------------------------|--------------------------------------------------|
| Intended for general public  |                                                  |
| Main use category            | : Industrial use, Professional use, Consumer use |
| Use of the substance/mixture | : composite mortar                               |

##### Uses advised against

|                     |                                |
|---------------------|--------------------------------|
| Restrictions on use | : Observe technical data sheet |
|---------------------|--------------------------------|

#### 1.3. Details of the supplier of the safety data sheet

##### Manufacturer

fischerwerke GmbH & Co. KG  
Klaus-Fischer-Straße 1  
72178 Waldachtal  
Germany  
T +49(0)7443 12-0, F +49(0)7443 12-4222  
[info-sdb@fischer.de](mailto:info-sdb@fischer.de), [www.fischer.de](http://www.fischer.de)

##### Distributor

fischer fixings UK Ltd.  
Whitely Road  
Oxon OX10 9AT Wallingford  
United Kingdom of Great Britain and Northern Ireland  
T +44 14 91 82 79 00, F +44 14 91 82 79 53  
[info@fischer.co.uk](mailto:info@fischer.co.uk), [www.fischer.co.uk](http://www.fischer.co.uk)

#### 1.4. Emergency telephone number

|                  |                          |
|------------------|--------------------------|
| Emergency number | : +49(0)6132-84463 (24h) |
|------------------|--------------------------|

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin Sens. 1 H317

Full text of hazard classes, H- and EUH-statements: see section 16

##### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)

:



GHS07

Signal word (CLP)

: Warning

Contains

: Hydroxypropyl methacrylate; 1,4-butanediol dimethacrylate

Hazard statements (CLP)

: H317 - May cause an allergic skin reaction.

Precautionary statements (CLP)

: P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P280 - Wear protective gloves, protective clothing/eye protection/face protection.

#### 2.3. Other hazards

Contains no PBT and/or vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

# FIS HB 345/360 S Component A (Mortar)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

| Name                          | Product identifier                                                     | %           | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|-------------------------------|------------------------------------------------------------------------|-------------|-----------------------------------------------------------------|
| 1,4-butanediol dimethacrylate | CAS-No.: 2082-81-7<br>EC-No.: 218-218-1<br>REACH-no: 01-2119967415-30  | ≥ 2.5 – < 5 | Skin Sens. 1B, H317                                             |
| Hydroxypropyl methacrylate    | CAS-No.: 27813-02-1<br>EC-No.: 248-666-3<br>REACH-no: 01-2119490226-37 | ≥ 1 – < 2.5 | Eye Irrit. 2, H319<br>Skin Sens. 1B, H317                       |

Full text of H- and EUH-statements: see section 16

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

|                                       |                                                                                                                                                      |
|---------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|
| First-aid measures after inhalation   | : Remove person to fresh air and keep comfortable for breathing.                                                                                     |
| First-aid measures after skin contact | : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.                   |
| First-aid measures after eye contact  | : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately. |
| First-aid measures after ingestion    | : Call a poison center or a doctor if you feel unwell.                                                                                               |

#### 4.2. Most important symptoms and effects, both acute and delayed

|                                     |                                                    |
|-------------------------------------|----------------------------------------------------|
| Symptoms/effects after skin contact | : Irritation. May cause an allergic skin reaction. |
| Symptoms/effects after eye contact  | : Serious damage to eyes.                          |

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

|                                |                                  |
|--------------------------------|----------------------------------|
| Suitable extinguishing media   | : Water spray. Dry powder. Foam. |
| Unsuitable extinguishing media | : Strong water jet.              |

#### 5.2. Special hazards arising from the substance or mixture

|                                                  |                                |
|--------------------------------------------------|--------------------------------|
| Hazardous decomposition products in case of fire | : Toxic fumes may be released. |
|--------------------------------------------------|--------------------------------|

#### 5.3. Advice for firefighters

|                                |                                                                                                                                          |
|--------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|
| Protection during firefighting | : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. |
| Other information              | : Do not allow water used to extinguish fire to enter drains, ground or waterways. Avoid direct discharge into drains.                   |

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### For non-emergency personnel

|                      |                                                                                                                |
|----------------------|----------------------------------------------------------------------------------------------------------------|
| Emergency procedures | : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. |
|----------------------|----------------------------------------------------------------------------------------------------------------|

##### For emergency responders

|                      |                                                                                                                                                             |
|----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Protective equipment | : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". |
|----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|

#### 6.2. Environmental precautions

Avoid release to the environment.

# FIS HB 345/360 S Component A (Mortar)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 6.3. Methods and material for containment and cleaning up

- Methods for cleaning up
- Other information
- : Mechanically recover the product.
- : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

- Additional hazards when processed
- Precautions for safe handling
- Hygiene measures
- : Not expected to present a significant hazard under anticipated conditions of normal use. In the event that dust and/or fine particles are generated with this product, it is prudent to minimize prolonged inhalation exposure to these forms not to exceed the occupational exposure limit.
- : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid breathing vapours.
- : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions
- : Store in a well-ventilated place. Keep cool.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No additional information available

### 8.2. Exposure controls

#### Appropriate engineering controls

**Appropriate engineering controls:**  
Ensure good ventilation of the work station.

#### Personal protection equipment

Personal protective equipment symbol(s):



#### Eye and face protection

**Eye protection:**  
Safety glasses

#### Skin protection

**Skin and body protection:**  
Wear suitable protective clothing

#### Hand protection:

Protective gloves. Breakthrough time : refer to the recommendations of the supplier. Please follow the instructions related to the permeability and the penetration time provided by the manufacturer

| Hand protection   |                                    |                  |                |             |          |
|-------------------|------------------------------------|------------------|----------------|-------------|----------|
| Type              | Material                           | Permeation       | Thickness (mm) | Penetration | Standard |
| Disposable gloves | Nitrile rubber (NBR), Butyl rubber | 2 (> 30 minutes) |                |             |          |

# FIS HB 345/360 S Component A (Mortar)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Respiratory protection

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

### Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|                                                 |                                       |
|-------------------------------------------------|---------------------------------------|
| Physical state                                  | : Solid                               |
| Colour                                          | : Green.                              |
| Appearance                                      | : Paste.                              |
| Odour                                           | : slight.                             |
| Odour threshold                                 | : Not available                       |
| Melting point                                   | : Not available                       |
| Freezing point                                  | : Not available                       |
| Boiling point                                   | : Not available                       |
| Flammability                                    | : Not available                       |
| Lower explosion limit                           | : Not applicable                      |
| Upper explosion limit                           | : Not applicable                      |
| Flash point                                     | : > 100 °C                            |
| Auto-ignition temperature                       | : Not applicable                      |
| Decomposition temperature                       | : Not available                       |
| pH                                              | : Not available                       |
| pH solution                                     | : Not available                       |
| Viscosity, kinematic                            | : 111111111.111 – 147058823.529 mm²/s |
| Viscosity, dynamic                              | : 200000 – 250000 mPa·s 20 °C         |
| Solubility                                      | : Not available                       |
| Partition coefficient n-octanol/water (Log Kow) | : Not available                       |
| Vapour pressure                                 | : Not available                       |
| Vapour pressure at 50°C                         | : Not available                       |
| Density                                         | : 1.7 – 1.8 g/l 20 °C                 |
| Relative density                                | : Not available                       |
| Relative vapour density at 20°C                 | : Not applicable                      |
| Particle size                                   | : Not available                       |

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# FIS HB 345/360 S Component A (Mortar)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

|                             |                  |
|-----------------------------|------------------|
| Acute toxicity (oral)       | : Not classified |
| Acute toxicity (dermal)     | : Not classified |
| Acute toxicity (inhalation) | : Not classified |

##### Hydroxypropyl methacrylate (27813-02-1)

|                    |                                            |
|--------------------|--------------------------------------------|
| LD50 oral rat      | > 2000 mg/kg bodyweight (OECD-Methode 401) |
| LD50 dermal rabbit | > 5000 mg/kg bodyweight                    |

##### 1,4-butanediol dimethacrylate (2082-81-7)

|                    |                                          |
|--------------------|------------------------------------------|
| LD50 oral rat      | 10066 mg/kg bodyweight (OECD 401 method) |
| LD50 dermal rabbit | > 3000 mg/kg bodyweight                  |

|                                   |                                        |
|-----------------------------------|----------------------------------------|
| Skin corrosion/irritation         | : Not classified                       |
| Serious eye damage/irritation     | : Not classified                       |
| Respiratory or skin sensitisation | : May cause an allergic skin reaction. |
| Germ cell mutagenicity            | : Not classified                       |
| Carcinogenicity                   | : Not classified                       |
| Reproductive toxicity             | : Not classified                       |
| STOT-single exposure              | : Not classified                       |
| STOT-repeated exposure            | : Not classified                       |

##### Hydroxypropyl methacrylate (27813-02-1)

|                                       |                                                                                                                                                                       |
|---------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| LOAEC (inhalation, rat, gas, 90 days) | 300 ppm rat (OECD 413 method) 90 d                                                                                                                                    |
| NOAEL (oral, rat, 90 days)            | 300 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) |
| NOAEC (inhalation, rat, gas, 90 days) | 100 ppm Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study), Remarks on results: other:                                         |

##### 1,4-butanediol dimethacrylate (2082-81-7)

|                                       |                                                                                                                                                                       |
|---------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| LOAEC (inhalation, rat, gas, 90 days) | 350 ppm Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study)                                                                     |
| NOAEL (oral, rat, 90 days)            | 300 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) |

|                   |                  |
|-------------------|------------------|
| Aspiration hazard | : Not classified |
|-------------------|------------------|

##### FIS HB 345/360 S Component A (Mortar)

|                      |                                     |
|----------------------|-------------------------------------|
| Viscosity, kinematic | 111111111.111 – 147058823.529 mm²/s |
|----------------------|-------------------------------------|

##### Hydroxypropyl methacrylate (27813-02-1)

|                      |                               |
|----------------------|-------------------------------|
| Viscosity, kinematic | 8.88 mm²/s (20°C) (DIN 51562) |
|----------------------|-------------------------------|

##### 1,4-butanediol dimethacrylate (2082-81-7)

|                      |                 |
|----------------------|-----------------|
| Viscosity, kinematic | 5.29 mm²/s 20°C |
|----------------------|-----------------|

#### 11.2. Information on other hazards

No additional information available

### SECTION 12: Ecological information

#### 12.1. Toxicity

|                                                           |                  |
|-----------------------------------------------------------|------------------|
| Hazardous to the aquatic environment, short-term (acute)  | : Not classified |
| Hazardous to the aquatic environment, long-term (chronic) | : Not classified |

##### Hydroxypropyl methacrylate (27813-02-1)

|                        |                                                               |
|------------------------|---------------------------------------------------------------|
| LC50 - Fish [1]        | 493 mg/l Leuciscus idus (golden orfe) 48 h                    |
| EC50 - Crustacea [1]   | > 143 mg/l Daphnia magna (Water flea), (OECD 202 method)      |
| EC50 72h - Algae [1]   | > 97.2 mg/l Pseudokirchneriella subcapitata (OECD 201 method) |
| NOEC chronic crustacea | 45.2 mg/l Daphnia magna (Water flea) (OECD 201 method) 21 d   |

# FIS HB 345/360 S Component A (Mortar)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Hydroxypropyl methacrylate (27813-02-1)   |                                                                   |
|-------------------------------------------|-------------------------------------------------------------------|
| NOEC chronic algae                        | 97.2 mg/l Pseudokirchneriella subcapitata (OECD-Methode 201) 72 h |
| 1,4-butanediol dimethacrylate (2082-81-7) |                                                                   |
| EC50 - Crustacea [1]                      | 28.4 mg/l Daphnia magna (Water flea)                              |
| EC50 72h - Algae [1]                      | 9.79 mg/l Desmodesmus subspicatus                                 |
| LOEC (chronic)                            | 13.5 mg/l Daphnia magna (Water flea) 21 d                         |
| NOEC chronic crustacea                    | 5.09 mg/l Daphnia magna (Water flea)                              |
| NOEC chronic algae                        | 4.97 mg/l Desmodesmus subspicatus                                 |

### 12.2. Persistence and degradability

| FIS HB 345/360 S Component A (Mortar)     |                        |
|-------------------------------------------|------------------------|
| Persistence and degradability             | Not rapidly degradable |
| Hydroxypropyl methacrylate (27813-02-1)   |                        |
| Persistence and degradability             | Rapidly degradable     |
| 1,4-butanediol dimethacrylate (2082-81-7) |                        |
| Persistence and degradability             | Rapidly degradable     |

### 12.3. Bioaccumulative potential

| Hydroxypropyl methacrylate (27813-02-1)         |                 |
|-------------------------------------------------|-----------------|
| Partition coefficient n-octanol/water (Log Pow) | 0.97 literature |
| 1,4-butanediol dimethacrylate (2082-81-7)       |                 |
| Partition coefficient n-octanol/water (Log Pow) | 3.1 20°C        |

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

|                                            |                                                                                                                                                                                       |
|--------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Waste treatment methods                    | : Dispose of contents/container in accordance with licensed collector's sorting instructions.                                                                                         |
| Product/Packaging disposal recommendations | : Only pass on empty containers/packaging for recycling.                                                                                                                              |
| Additional information                     | : Not classified as hazardous waste when part A and part B are mixed and are fully cured.                                                                                             |
| European List of Waste (LoW, EC 2000/532)  | : 08 04 09* - waste adhesives and sealants containing organic solvents or other dangerous substances<br>20 01 27* - paint, inks, adhesives and resins containing dangerous substances |

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

| ADR                          | IMDG           | IATA           |
|------------------------------|----------------|----------------|
| 14.1. UN number or ID number |                |                |
| Not applicable               | Not applicable | Not applicable |

# FIS HB 345/360 S Component A (Mortar)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| ADR                              | IMDG           | IATA           |
|----------------------------------|----------------|----------------|
| 14.2. UN proper shipping name    |                |                |
| Not applicable                   | Not applicable | Not applicable |
| 14.3. Transport hazard class(es) |                |                |
| Not applicable                   | Not applicable | Not applicable |
| 14.4. Packing group              |                |                |
| Not applicable                   | Not applicable | Not applicable |
| 14.5. Environmental hazards      |                |                |
| Not applicable                   | Not applicable | Not applicable |

No supplementary information available

### 14.6. Special precautions for user

**Overland transport**

Not applicable

**Transport by sea**

Not applicable

**Air transport**

Not applicable

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**EU-Regulations**

**REACH Annex XVII (Restriction List)**

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

**REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

**REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

**PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

**POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

**Ozone Regulation (2024/590)**

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

**Council Regulation (EC) for the control of dual-use items**

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

**Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

**Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

### 15.2. Chemical safety assessment

No additional information available

# FIS HB 345/360 S Component A (Mortar)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 16: Other information

#### Abbreviations and acronyms:

|         |                                                                                                 |
|---------|-------------------------------------------------------------------------------------------------|
| ADN     | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR     | European Agreement concerning the International Carriage of Dangerous Goods by Road             |
| ATE     | Acute Toxicity Estimate                                                                         |
| BCF     | Bioconcentration factor                                                                         |
| BLV     | Biological limit value                                                                          |
| BOD     | Biochemical oxygen demand (BOD)                                                                 |
| COD     | Chemical oxygen demand (COD)                                                                    |
| DMEL    | Derived Minimal Effect level                                                                    |
| DNEL    | Derived-No Effect Level                                                                         |
| EC-No.  | European Community number                                                                       |
| EC50    | Median effective concentration                                                                  |
| EN      | European Standard                                                                               |
| IARC    | International Agency for Research on Cancer                                                     |
| IATA    | International Air Transport Association                                                         |
| IMDG    | International Maritime Dangerous Goods                                                          |
| LC50    | Median lethal concentration                                                                     |
| LD50    | Median lethal dose                                                                              |
| LOAEL   | Lowest Observed Adverse Effect Level                                                            |
| NOAEC   | No-Observed Adverse Effect Concentration                                                        |
| NOAEL   | No-Observed Adverse Effect Level                                                                |
| NOEC    | No-Observed Effect Concentration                                                                |
| OECD    | Organisation for Economic Co-operation and Development                                          |
| OEL     | Occupational Exposure Limit                                                                     |
| PBT     | Persistent Bioaccumulative Toxic                                                                |
| PNEC    | Predicted No-Effect Concentration                                                               |
| RID     | Regulations concerning the International Carriage of Dangerous Goods by Rail                    |
| SDS     | Safety Data Sheet                                                                               |
| STP     | Sewage treatment plant                                                                          |
| ThOD    | Theoretical oxygen demand (ThOD)                                                                |
| TLM     | Median Tolerance Limit                                                                          |
| VOC     | Volatile Organic Compounds                                                                      |
| CAS-No. | Chemical Abstract Service number                                                                |
| N.O.S.  | Not Otherwise Specified                                                                         |
| vPvB    | Very Persistent and Very Bioaccumulative                                                        |
| ED      | Endocrine disruptor                                                                             |

#### Full text of H- and EUH-statements:

|               |                                               |
|---------------|-----------------------------------------------|
| Eye Irrit. 2  | Serious eye damage/eye irritation, Category 2 |
| Skin Sens. 1  | Skin sensitisation, Category 1                |
| Skin Sens. 1B | Skin sensitisation, category 1B               |
| H317          | May cause an allergic skin reaction.          |
| H319          | Causes serious eye irritation.                |

# FIS HB 345/360 S Component A (Mortar)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

**Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:**

|              |      |                    |
|--------------|------|--------------------|
| Skin Sens. 1 | H317 | Calculation method |
|--------------|------|--------------------|

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Trade name : FIS HB 345/360 S Component B (Hardener)  
UFI : SE20-C036-N00F-CWR5  
Article number : M46

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Relevant identified uses

Intended for general public  
Main use category : Industrial use, Professional use, Consumer use  
Use of the substance/mixture : composite mortar

##### Uses advised against

Restrictions on use : Observe technical data sheet

#### 1.3. Details of the supplier of the safety data sheet

##### Manufacturer

fischerwerke GmbH & Co. KG  
Klaus-Fischer-Straße 1  
72178 Waldachtal  
Germany  
T +49(0)7443 12-0, F +49(0)7443 12-4222  
[info-sdb@fischer.de](mailto:info-sdb@fischer.de), [www.fischer.de](http://www.fischer.de)

##### Distributor

fischer fixings UK Ltd.  
Whitely Road  
Oxon OX10 9AT Wallingford  
United Kingdom of Great Britain and Northern Ireland  
T +44 14 91 82 79 00, F +44 14 91 82 79 53  
[info@fischer.co.uk](mailto:info@fischer.co.uk), [www.fischer.co.uk](http://www.fischer.co.uk)

#### 1.4. Emergency telephone number

Emergency number : +49(0)6132-84463 (24h)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Eye Irrit. 2 H319  
Skin Sens. 1 H317  
Aquatic Acute 1 H400  
Aquatic Chronic 1 H410  
Full text of hazard classes, H- and EUH-statements: see section 16

##### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP)

: Warning

Contains

: dibenzoyl peroxide

Hazard statements (CLP)

: H317 - May cause an allergic skin reaction.  
H319 - Causes serious eye irritation.  
H410 - Very toxic to aquatic life with long lasting effects.  
P101 - If medical advice is needed, have product container or label at hand.  
P102 - Keep out of reach of children.  
P280 - Wear eye protection, protective gloves.

#### 2.3. Other hazards

Contains no PBT and/or vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

# FIS HB 345/360 S Component B (Hardener)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

| Name                                                                                                                              | Product identifier                                                                                | %           | Classification according to Regulation (EC) No. 1272/2008 [CLP]                                                                   |
|-----------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|-------------|-----------------------------------------------------------------------------------------------------------------------------------|
| Sand (Quartz)<br>substance with national workplace exposure limit(s) (IE);<br>substance with a Community workplace exposure limit | CAS-No.: 14808-60-7<br>EC-No.: 238-878-4                                                          | ≥ 20 – < 25 | Not classified                                                                                                                    |
| dibenzoyl peroxide<br>substance with national workplace exposure limit(s) (IE)                                                    | CAS-No.: 94-36-0<br>EC-No.: 202-327-6<br>EC Index-No.: 617-008-00-0<br>REACH-no: 01-2119511472-50 | ≥ 15 – < 20 | Org. Perox. B, H241<br>Eye Irrit. 2, H319<br>Skin Sens. 1, H317<br>Aquatic Acute 1, H400 (M=10)<br>Aquatic Chronic 1, H410 (M=10) |

Full text of H- and EUH-statements: see section 16

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

|                                       |                                                                                                                                                      |
|---------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|
| First-aid measures after inhalation   | : Remove person to fresh air and keep comfortable for breathing.                                                                                     |
| First-aid measures after skin contact | : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.                   |
| First-aid measures after eye contact  | : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately. |
| First-aid measures after ingestion    | : Call a poison center or a doctor if you feel unwell.                                                                                               |

#### 4.2. Most important symptoms and effects, both acute and delayed

|                                     |                                                    |
|-------------------------------------|----------------------------------------------------|
| Symptoms/effects after skin contact | : Irritation. May cause an allergic skin reaction. |
| Symptoms/effects after eye contact  | : Serious damage to eyes.                          |

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

|                                |                                  |
|--------------------------------|----------------------------------|
| Suitable extinguishing media   | : Water spray. Dry powder. Foam. |
| Unsuitable extinguishing media | : Strong water jet.              |

#### 5.2. Special hazards arising from the substance or mixture

|                                                  |                                |
|--------------------------------------------------|--------------------------------|
| Hazardous decomposition products in case of fire | : Toxic fumes may be released. |
|--------------------------------------------------|--------------------------------|

#### 5.3. Advice for firefighters

|                                |                                                                                                                                          |
|--------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|
| Protection during firefighting | : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. |
| Other information              | : Do not allow water used to extinguish fire to enter drains, ground or waterways. Avoid direct discharge into drains.                   |

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### For non-emergency personnel

|                      |                                                                                                                |
|----------------------|----------------------------------------------------------------------------------------------------------------|
| Emergency procedures | : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. |
|----------------------|----------------------------------------------------------------------------------------------------------------|

# FIS HB 345/360 S Component B (Hardener)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Mechanically recover the product.  
Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use. In the event that dust and/or fine particles are generated with this product, it is prudent to minimize prolonged inhalation exposure to these forms not to exceed the occupational exposure limit.

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid breathing vapours.

Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### National occupational exposure and biological limit values

| dibenzoyl peroxide (94-36-0)                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|----------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Ireland - Occupational Exposure Limits             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Local name                                         | Dibenzoyl peroxide [Benzoyl peroxide]                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| OEL TWA                                            | 5 mg/m³                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Remark                                             | Advisory OELV (Advisory Occupational Exposure Limit Values), Sens (In the workplace, respiratory or dermal exposures to sensitising agents may occur. Sensitisers may evoke respiratory or dermal reactions, e.g. asthma, rhinitis and allergic contact dermatitis. The "sens" notation alone does not distinguish between respiratory or dermal sensitisation. Chemical agents that are sensitisers present special problems in the workplace. Should an employee become sensitised, subsequent exposure may cause intense responses, even at low exposure concentrations well below the OELV. Exposure should be eliminated or significantly reduced through control measures such as engineering and process controls and use of personal protective equipment (PPE)) |
| Regulatory reference                               | Chemical Agents Code of Practice 2024                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Sand (Quartz) (14808-60-7)                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| EU - Indicative Occupational Exposure Limit (IOEL) |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Local name                                         | Silica crystalline (Quartz)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| IOEL TWA                                           | 0.05 mg/m³ (respirable dust)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Remark                                             | (Year of adoption 2003)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Regulatory reference                               | SCOEL Recommendations                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |

# FIS HB 345/360 S Component B (Hardener)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Sand (Quartz) (14808-60-7)             |                                                    |
|----------------------------------------|----------------------------------------------------|
| Ireland - Occupational Exposure Limits |                                                    |
| Local name                             | Quartz, respirable dust                            |
| OEL TWA                                | 0.1 mg/m³                                          |
| Remark                                 | BOELV (Binding Occupational Exposure Limit Values) |
| Regulatory reference                   | Chemical Agents Code of Practice 2024              |

### 8.2. Exposure controls

#### Appropriate engineering controls

**Appropriate engineering controls:**  
Ensure good ventilation of the work station.

#### Personal protection equipment

**Personal protective equipment symbol(s):**



#### Eye and face protection

**Eye protection:**  
Safety glasses

#### Skin protection

**Skin and body protection:**  
Wear suitable protective clothing

**Hand protection:**  
Protective gloves. Breakthrough time : refer to the recommendations of the supplier. Please follow the instructions related to the permeability and the penetration time provided by the manufacturer

#### Respiratory protection

**Respiratory protection:**  
In case of insufficient ventilation, wear suitable respiratory equipment

#### Environmental exposure controls

**Environmental exposure controls:**  
Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|                           |                  |
|---------------------------|------------------|
| Physical state            | : Solid          |
| Colour                    | : red.           |
| Appearance                | : Paste.         |
| Odour                     | : slight.        |
| Odour threshold           | : Not available  |
| Melting point             | : Not available  |
| Freezing point            | : Not applicable |
| Boiling point             | : Not available  |
| Flammability              | : Non flammable. |
| Lower explosion limit     | : Not applicable |
| Upper explosion limit     | : Not applicable |
| Flash point               | : > 100 °C       |
| Auto-ignition temperature | : Not applicable |
| Decomposition temperature | : Not available  |
| pH                        | : Not available  |
| pH solution               | : Not available  |
| Viscosity, kinematic      | : Not applicable |
| Viscosity, dynamic        | : 150 – 200 Pa·s |
| Solubility                | : Not available  |

# FIS HB 345/360 S Component B (Hardener)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

|                                                 |                               |
|-------------------------------------------------|-------------------------------|
| Partition coefficient n-octanol/water (Log Kow) | : Not available               |
| Vapour pressure                                 | : Not available               |
| Vapour pressure at 50°C                         | : Not available               |
| Density                                         | : 1.6 – 1.7 g/cm <sup>3</sup> |
| Relative density                                | : Not available               |
| Relative vapour density at 20°C                 | : Not applicable              |
| Particle size                                   | : Not available               |

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

|                             |                  |
|-----------------------------|------------------|
| Acute toxicity (oral)       | : Not classified |
| Acute toxicity (dermal)     | : Not classified |
| Acute toxicity (inhalation) | : Not classified |

#### dibenzoyl peroxide (94-36-0)

|                                   |                                        |
|-----------------------------------|----------------------------------------|
| LD50 oral rat                     | > 5000 mg/kg (OECD 401 method)         |
| LC50 Inhalation - Rat             | > 24.3 mg/l (OECD 403 method)          |
| Skin corrosion/irritation         | : Not classified                       |
| Serious eye damage/irritation     | : Causes serious eye irritation.       |
| Respiratory or skin sensitisation | : May cause an allergic skin reaction. |
| Germ cell mutagenicity            | : Not classified                       |
| Carcinogenicity                   | : Not classified                       |

#### Sand (Quartz) (14808-60-7)

|                        |                            |
|------------------------|----------------------------|
| IARC group             | 1 - Carcinogenic to humans |
| Reproductive toxicity  | : Not classified           |
| STOT-single exposure   | : Not classified           |
| STOT-repeated exposure | : Not classified           |
| Aspiration hazard      | : Not classified           |

#### FIS HB 345/360 S Component B (Hardener)

|                      |                |
|----------------------|----------------|
| Viscosity, kinematic | Not applicable |
|----------------------|----------------|

### 11.2. Information on other hazards

No additional information available

# FIS HB 345/360 S Component B (Hardener)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.  
Hazardous to the aquatic environment, short-term (acute) : Very toxic to aquatic life.  
Hazardous to the aquatic environment, long-term (chronic) : Very toxic to aquatic life with long lasting effects.

| dibenzoyl peroxide (94-36-0) |                                                 |
|------------------------------|-------------------------------------------------|
| LC50 - Fish [1]              | 0.0602 mg/l Oncorhynchus mykiss (Rainbow trout) |
| EC50 - Crustacea [1]         | 0.11 mg/l Daphnia magna (Water flea)            |
| EC50 72h - Algae [1]         | 0.06 mg/l                                       |

#### 12.2. Persistence and degradability

| FIS HB 345/360 S Component B (Hardener) |                        |
|-----------------------------------------|------------------------|
| Persistence and degradability           | Not rapidly degradable |
| dibenzoyl peroxide (94-36-0)            |                        |
| Persistence and degradability           | Not rapidly degradable |
| Sand (Quartz) (14808-60-7)              |                        |
| Persistence and degradability           | Not rapidly degradable |

#### 12.3. Bioaccumulative potential

No additional information available

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Endocrine disrupting properties

No additional information available

#### 12.7. Other adverse effects

No additional information available

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.  
Product/Packaging disposal recommendations : Only pass on empty containers/packaging for recycling.  
Additional information : Not classified as hazardous waste when part A and part B are mixed and are fully cured.  
European List of Waste (LoW, EC 2000/532) : 08 04 09\* - waste adhesives and sealants containing organic solvents or other dangerous substances  
20 01 27\* - paint, inks, adhesives and resins containing dangerous substances

### SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

| ADR                                | IMDG                               | IATA                                |
|------------------------------------|------------------------------------|-------------------------------------|
| Special provision(s) applied : 375 | Special provision(s) applied : 969 | Special provision(s) applied : A197 |

These substances when carried in single or combination packagings containing a net quantity per single or inner packaging of 5 l or less for liquids or having a net mass per single or inner packaging of 5 kg or less for solids, are not subject to any other provisions of the transport regulations provided the packagings meet the general provisions.

#### 14.1. UN number or ID number

|         |         |         |
|---------|---------|---------|
| UN 3077 | UN 3077 | UN 3077 |
|---------|---------|---------|

FIS HB 345/360 S Component B (Hardener)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| ADR                                                                                          | IMDG                                                                                                          | IATA                                                                                    |
|----------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|
| 14.2. UN proper shipping name                                                                |                                                                                                               |                                                                                         |
| ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoyl peroxide)                      | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoyl peroxide)                                       | Environmentally hazardous substance, solid, n.o.s. (dibenzoyl peroxide)                 |
| Transport document description                                                               |                                                                                                               |                                                                                         |
| UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoyl peroxide), 9, III, (-) | UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoyl peroxide), 9, III, MARINE POLLUTANT     | UN 3077 Environmentally hazardous substance, solid, n.o.s. (dibenzoyl peroxide), 9, III |
| 14.3. Transport hazard class(es)                                                             |                                                                                                               |                                                                                         |
| 9<br>                                                                                        | 9<br>                                                                                                         | 9<br>                                                                                   |
| 14.4. Packing group                                                                          |                                                                                                               |                                                                                         |
| III                                                                                          | III                                                                                                           | III                                                                                     |
| 14.5. Environmental hazards                                                                  |                                                                                                               |                                                                                         |
| Dangerous for the environment: Yes                                                           | Dangerous for the environment: Yes<br>Marine pollutant: Yes<br>EmS-No. (Fire): F-A<br>EmS-No. (Spillage): S-F | Dangerous for the environment: Yes                                                      |

No supplementary information available

14.6. Special precautions for user

Overland transport

|                                                  |                                           |
|--------------------------------------------------|-------------------------------------------|
| Classification code (ADR)                        | : M7                                      |
| Special provisions (ADR)                         | : 274, 335, 375, 601                      |
| Limited quantities (ADR)                         | : 5kg                                     |
| Excepted quantities (ADR)                        | : E1                                      |
| Packing instructions (ADR)                       | : P002, IBC08, LP02, R001                 |
| Special packing provisions (ADR)                 | : PP12, B3                                |
| Mixed packing provisions (ADR)                   | : MP10                                    |
| Transport category (ADR)                         | : 3                                       |
| Special provisions for carriage - Packages (ADR) | : V13                                     |
| Orange plates                                    | : <div><div>90</div><div>3077</div></div> |

Tunnel restriction code (ADR) : -

Transport by sea

|                                   |                           |
|-----------------------------------|---------------------------|
| Special provisions (IMDG)         | : 274, 335, 966, 967, 969 |
| Limited quantities (IMDG)         | : 5 kg                    |
| Packing instructions (IMDG)       | : LP02, P002              |
| Special packing provisions (IMDG) | : PP12                    |

Air transport

|                                 |                               |
|---------------------------------|-------------------------------|
| PCA packing instructions (IATA) | : 956                         |
| PCA max net quantity (IATA)     | : 400kg                       |
| CAO packing instructions (IATA) | : 956                         |
| CAO max net quantity (IATA)     | : 400kg                       |
| Special provisions (IATA)       | : A97, A158, A179, A197, A215 |
| ERG code (IATA)                 | : 9L                          |

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# FIS HB 345/360 S Component B (Hardener)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU-Regulations

###### REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

###### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

###### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

###### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

###### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

###### Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

###### Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

###### Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

###### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### SECTION 16: Other information

| Abbreviations and acronyms: |                                                                                                 |
|-----------------------------|-------------------------------------------------------------------------------------------------|
| ADN                         | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR                         | European Agreement concerning the International Carriage of Dangerous Goods by Road             |
| ATE                         | Acute Toxicity Estimate                                                                         |
| BCF                         | Bioconcentration factor                                                                         |
| BLV                         | Biological limit value                                                                          |
| BOD                         | Biochemical oxygen demand (BOD)                                                                 |
| COD                         | Chemical oxygen demand (COD)                                                                    |
| DMEL                        | Derived Minimal Effect level                                                                    |
| DNEL                        | Derived-No Effect Level                                                                         |
| EC-No.                      | European Community number                                                                       |
| EC50                        | Median effective concentration                                                                  |
| EN                          | European Standard                                                                               |
| IARC                        | International Agency for Research on Cancer                                                     |
| IATA                        | International Air Transport Association                                                         |
| IMDG                        | International Maritime Dangerous Goods                                                          |
| LC50                        | Median lethal concentration                                                                     |
| LD50                        | Median lethal dose                                                                              |

# FIS HB 345/360 S Component B (Hardener)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Abbreviations and acronyms: |                                                                              |
|-----------------------------|------------------------------------------------------------------------------|
| LOAEL                       | Lowest Observed Adverse Effect Level                                         |
| NOAEC                       | No-Observed Adverse Effect Concentration                                     |
| NOAEL                       | No-Observed Adverse Effect Level                                             |
| NOEC                        | No-Observed Effect Concentration                                             |
| OECD                        | Organisation for Economic Co-operation and Development                       |
| OEL                         | Occupational Exposure Limit                                                  |
| PBT                         | Persistent Bioaccumulative Toxic                                             |
| PNEC                        | Predicted No-Effect Concentration                                            |
| RID                         | Regulations concerning the International Carriage of Dangerous Goods by Rail |
| SDS                         | Safety Data Sheet                                                            |
| STP                         | Sewage treatment plant                                                       |
| ThOD                        | Theoretical oxygen demand (ThOD)                                             |
| TLM                         | Median Tolerance Limit                                                       |
| VOC                         | Volatile Organic Compounds                                                   |
| CAS-No.                     | Chemical Abstract Service number                                             |
| N.O.S.                      | Not Otherwise Specified                                                      |
| vPvB                        | Very Persistent and Very Bioaccumulative                                     |
| ED                          | Endocrine disruptor                                                          |

| Full text of H- and EUH-statements: |                                                                   |
|-------------------------------------|-------------------------------------------------------------------|
| Aquatic Acute 1                     | Hazardous to the aquatic environment – Acute Hazard, Category 1   |
| Aquatic Chronic 1                   | Hazardous to the aquatic environment – Chronic Hazard, Category 1 |
| Eye Irrit. 2                        | Serious eye damage/eye irritation, Category 2                     |
| Org. Perox. B                       | Organic Peroxides, Type B                                         |
| Skin Sens. 1                        | Skin sensitisation, Category 1                                    |
| H241                                | Heating may cause a fire or explosion.                            |
| H317                                | May cause an allergic skin reaction.                              |
| H319                                | Causes serious eye irritation.                                    |
| H400                                | Very toxic to aquatic life.                                       |
| H410                                | Very toxic to aquatic life with long lasting effects.             |

| Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]: |      |                    |
|---------------------------------------------------------------------------------------------------------------------------|------|--------------------|
| Eye Irrit. 2                                                                                                              | H319 | Calculation method |
| Skin Sens. 1                                                                                                              | H317 | Calculation method |
| Aquatic Acute 1                                                                                                           | H400 | Calculation method |
| Aquatic Chronic 1                                                                                                         | H410 | Calculation method |

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.