

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name: DFA Acrylic Sealant Facade

Revision date: 06.06.2018

Version: 1.0 /en



Print date: 06.06.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Commercial Product Name **DFA Acrylic Sealant Facade**

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Plastic elastic 1 component sealing compound on acrylic dispersions basis

1.3 Details of the supplier of the safety data sheet

Company designation fischerwerke GmbH & Co. KG
Klaus-Fischer-Straße 1
D-72178 Waldachtal
Telephone: +49(0)7443 12-0
FAX: +49(0)7443 12-4222
Email: info-sdb@fischer.de
Internet: www.fischer.de

Marketer Great Britain: Mrs Mirka Valovicova, fischer Fixing (UK) Ltd, Hithercroft Road, Wallingford, Oxfordshire, OX10 9AT, Tel. 01491 827 920, Fax 01491 827 950

1.4 Emergency telephone number

Emergency telephone number +49(0)6132-84463 (24h)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 This product is classified as not hazardous according to regulation (EC) 1272/2008 [CLP].

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] The product does not have to be labelled according to Regulation (EC) No. 1272/2008 [CLP].

Further information

EUH208: Contains mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]; and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

EUH210: Safety data sheet available on request.

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name: DFA Acrylic Sealant Facade

Revision date: 06.06.2018

Version: 1.0 /en



Print date: 06.06.2018

tion itself, its combustion products, or released gases

5.3 Advice for firefighters

Special protective equipment for firefighting

In the event of fire, wear self-contained breathing apparatus. In the event of fire and/or explosion do not breathe fumes.

Additional information on firefighting

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Keep containers and surroundings cool with water spray. Container may rupture on heating.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions

Ensure adequate ventilation, especially in confined areas. Keep people away from and upwind of spill/leak.

6.2 Environmental precautions

Environmental precautions

The product should not be allowed to enter drains, water courses or the soil. Prevent spreading over a wide area (e.g. by containment or oil barriers).

6.3 Methods and material for containment and cleaning up

Methods for cleaning up

Use mechanical handling equipment. Treat recovered material as described in the section "Disposal considerations".

6.4 Reference to other sections

Reference to other sections

See chapter 8/13

6.5 Additional information

Other information

Dispose of in accordance with local regulations.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

None under normal processing.

Advice on protection against fire and explosion

No special precautions required.

7.2 Conditions for safe storage, including any incompatibilities

Storage space and container requirements

Keep containers tightly closed in a cool, well-ventilated place. Store in accordance with local regulations. Keep only in original container.

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name: DFA Acrylic Sealant Facade

Revision date: 06.06.2018

Version: 1.0 /en



Print date: 06.06.2018

Hints on storage assembly Store in accordance with the particular national regulations.

German storage class 10-13 (TRGS 510)

7.3 Specific end use(s)

Specific use(s) Sealant

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

8.2 Exposure controls

Respiratory protection No personal respiratory protective equipment normally required.

Hand protection not required under normal use

Suitable material: butyl-rubber, Chloroprene, Nitrile rubber

Unsuitable material: PVC disposable gloves

Material thickness: adjust to application and duration of use

Break through time: adjust to application and duration of use

Remarks: Replace when worn. Request information on glove permeation properties from the glove supplier. Be aware that in daily use the durability of a chemical resistant protective glove can be notably shorter than the break through time measured according to EN 374, due to the numerous outside influences (e.g. temperature).

Eye protection Tightly fitting safety goggles

Skin and body protection Wear suitable protective equipment.

Note: Choose body protection according to the amount and concentration of the dangerous substance at the work place.

General protective and hygiene measures Smoking, eating and drinking should be prohibited in the application area.

Avoid contact with skin, eyes and clothing.

Take off all contaminated clothing immediately.

Wash hands before breaks and at the end of workday.

Keep away from food, drink and animal feedingstuffs.

Use protective skin cream before handling the product.

Information on environmental protection regulations No special environmental precautions required.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

Form	paste
Colour	various
Additional information on colour:	see label
Odour	characteristic
pH	not determined
Melting point [°C] / Freezing point [°C]	0
Boiling point [°C]	100
Flash point [°C]	> 100
Explosion limits [Vol-%]	
Lower limit:	not determined
Upper limit:	not determined
Vapour pressure [kPa]	not determined
Density [g/cm ³]	1,53
Water solubility [g/l]	completely miscible
Autoinflammability	not auto-flammable
Risk of explosion.	not explosive.

9.2 Other information

Ignition temperature [°C]	420
---------------------------	-----

SECTION 10: Stability and reactivity**10.1 Reactivity**

Thermal decomposition	No decomposition if stored and applied as directed.
-----------------------	---

10.2 Chemical stability

Chemical stability	Stable under recommended storage conditions.
--------------------	--

10.3 Possibility of hazardous reactions

Hazardous reactions	No dangerous reaction known under conditions of normal use.
---------------------	---

10.4 Conditions to avoid

Conditions to avoid	No decomposition if used as directed.
---------------------	---------------------------------------

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name: DFA Acrylic Sealant Facade

Revision date: 06.06.2018

Version: 1.0 /en



Print date: 06.06.2018

10.5 Incompatible materials

Materials to avoid None known.

10.6 Hazardous decomposition products

Hazardous decomposition products No decomposition if used as directed.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Oral toxicity [mg/kg]	Based on available data, the classification criteria are not met.
Dermal toxicity [mg/kg]	Based on available data, the classification criteria are not met.
Inhalative toxicity [mg/l]	Based on available data, the classification criteria are not met.
Irritant effect on skin	No skin irritation
Irritant effect on eyes	No eye irritation
Sensitization	No known effect.

11.2 Additional information

Other information (chapter 11.) There is no data available for this product.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish [mg/l]	Based on available data, the classification criteria are not met.
Toxicity to daphnia [mg/l]	Based on available data, the classification criteria are not met.
Toxicity to algae [mg/l]	Based on available data, the classification criteria are not met.

12.2 Persistence and degradability

Biodegradability
Remarks: No data available

12.3 Bioaccumulative potential

Bioaccumulation no data available

12.4 Mobility in soil

Mobility
Mobility: No data available

12.5 Results of PBT and vPvB assessment

Results of PBT characteristics determination This preparation contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name: DFA Acrylic Sealant Facade

Revision date: 06.06.2018

Version: 1.0 /en



Print date: 06.06.2018

12.6 Other adverse effects

Further information on ecology No information on ecology is available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Disposal considerations Disposal together with normal waste is not allowed. Special disposal required according to local regulations.
The product should not be allowed to enter drains, water courses or the soil.
Empty remaining contents.

Waste Code Product
200127 – paint, inks, adhesives and resins containing dangerous substances
080000 – WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS
080400 – wastes from MFSU of adhesives and sealants (including waterproofing products)
080409 – waste adhesives and sealants containing organic solvents or other dangerous substances
cured material
200000 – MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS

Uncleaned empty packaging Dispose of as unused product.

SECTION 14: Transport information

	Land transport ADR/RID	Marine transport IMDG	Air transport ICAO/IATA
14.1 UN-No	Not applicable.	Not applicable.	Not applicable.
14.2 Description of the goods	No dangerous good according to ADR Non-dangerous goods	No dangerous good according to IMDG Non-dangerous goods	No dangerous good according to IATA Non-dangerous goods
14.2 UN proper shipping name		Non dangerous good Non dangerous good	Non dangerous good Non dangerous good
14.3 Transport hazard class(es)	Not applicable.	Not applicable.	Not applicable.
14.4 Packaging group	Not applicable.	Not applicable.	Not applicable.
14.5 Environmental hazards	Not applicable.	Not applicable.	Not applicable.
Proper shipping name	Non dangerous good		

14.6 Special precautions for user

Precautions not required under normal use

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name: DFA Acrylic Sealant Facade

Revision date: 06.06.2018

Version: 1.0 /en



Print date: 06.06.2018

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL and the IBC Code not applicable

14.8 Additional information

Other information (chapter 14.) Not dangerous goods in the meaning of ADR/RID, ADNR, IMDG-Code, ICAO/IATA-DGR

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

VOC 22,7 g/l (1,48 %)

Water Hazard Class (Ger.) 1

15.2 Chemical safety assessment

Safety assessment Not relevant. Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Relevant H-phrases EUH208: Contains mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]; and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.
EUH210: Safety data sheet available on request.

Modifications of the previous version are denoted with an asterisk (*).

This information is provided in accordance with the current status of our knowledge and experience. The Safety Data Sheet describes products with a view to relevant safety requirements. This information does not constitute a warranty of properties, features or qualities.