Commercial Product Name: FIS P 380 C

Article-No.: -

Revision date: 22.04.2020

Print date: 24.04.2020 Version: 1/en



#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Commercial Product Name FIS P 380 C

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses composite mortar

Recommended restrictions Observe technical data sheet.

#### 1.3 Details of the supplier of the safety data sheet

Company designation fischerwerke GmbH & Co. KG

> Klaus-Fischer-Straße 1 D-72178 Waldachtal

Telephone: +49(0)7443 12-0 FAX: +49(0)7443 12-4222 Email: info-sdb@fischer.de Internet: www.fischer.de

Marketer Great Britain: Mrs Mirka Valovicova, fischer Fixing (UK) Ltd

Hithercroft Road

Wallingford, Oxfordshire, OX10 9AT Telephone: +44 01491 827 920

FAX: +44 01491 827 950 Internet: www.fischer.co.uk

#### 1.4 Emergency telephone number

Emergency telephone number +49(0)6132-84463 (24h)

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification according to Regula- Eye Dam. 1; H318 Skin Sens. 1; H317

tion (EC) No. 1272/2008

#### 2.2 Label elements

Hazard pictogram



GHS05



Signal word Danger

Commercial Product Name: FIS P 380 C

Article-No.: -

Revision date: 22.04.2020

Print date: 24.04.2020 Version: 1/en

Hazardous component(s) to be inportland cement, 2-hydroxypropyl methacrylate, tetram-

dicated on label ethylendimethacrylat, dibenzoyl peroxide, 2-methylisothiazol-3(2H)-one

H-statement(s) H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

P101: If medical advice is needed, have product container or label at P-statement(s)

hand.

P102: Keep out of reach of children.

P280: Wear protective gloves/protective clothing/eye protection/face pro-

tection.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER/doctor.

2.3 Other hazards

Health hazard No information available.

Particular information pertaining

specific risk for human / environ-

ment

No information available.

Indication of danger No information available. Hazard precautions No information available.

### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Ingredient	CAS No.	Classification (EC) 1272/2008	Concentration
portland cement	CAS No.: 65997-15-1 EC-No.: 266-043-4 REACH No.: The substance does not require registra- tion according to Regulation (EC) No 1907/2006 [REACH].	Skin Irrit. 2;H315 Eye Dam. 1; H318 STOT SE 3;H335	, G
2-hydroxypropyl methacrylate	CAS No.: 27813-02-1 EC-No.: 248-666-3 REACH No.: 01-2119490226-37	Skin Sens. 1; H317 Eye Irrit. 2; H319	2.5 - 10.0 % by weight
tetramethylendimethacry- lat	CAS No.: 2082-81-7 EC-No.: 218-218-1 REACH No.: 01-2119967415-30	Skin Sens. 1B;H317	2.5 - 10.0 % by weight
dibenzoyl peroxide	CAS No.: 94-36-0 EC-No.: 202-327-6 Index-No.: 617-008-00-0 REACH No.: 01-2119511472-50	Org. Perox. B; H241 Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	< 2.0 % by weight
2-methylisothia- zol-3(2H)-one	CAS No.: 2682-20-4 EC-No.: 220-239-6 Index-No.: 613-326-00-9 REACH No.: 01-2120764690-50	Acute Tox. 3; H301 Acute Tox. 2; H330 Skin Corr. 1B; H314 Eye Dam. 1; H318 Aquatic Acute 1;	< 0.01 % by weight

Commercial Product Name: FIS P 380 C

Article-No.: -

Revision date: 22.04.2020

Version: 1/en Print date: 24.04.2020



Ingredient	CAS No.	Classification (EC) 1272/2008	Concentration
		H400 Aquatic Chronic 2; H411 Skin	
		Sens. 1A; H317	

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice Take off immediately all contaminated clothing.

In case of accident or unwellness, seek medical advice immediately (show

directions for use or safety data sheet if possible).

Wear personal protection equipment (refer to section 8).

If inhaled Provide fresh air.

In case of respiratory tract irritation, consult a physician.

In case of skin contact

After contact with skin, wash immediately with plenty of water and soap.

Do NOT use solvents or thinners.

In case of eye contact Remove contact lenses.

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmol-

ogist.

If accidentally swallowed rinse the mouth with plenty of water (only if the

person is conscious) and obtain immediate medical attention.

Let water be drunken in little sips (dilution effect).

Do NOT induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms No information available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Immediate medical attention 
If unconscious place in recovery position and seek medical advice.

Special medical treatment Treat symptomatically.

### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media spray mist, (water), Water spray jet, alcohol resistant foam, carbon diox-

ide, Extinguishing powder

Extinguishing media which must not be used for safety reasons

Full water jet

#### 5.2 Special hazards arising from the substance or mixture

Special exposure hazards arising Heating or fire can release toxic gas.

from the substance or prepara- Fight fire with normal precautions from a reasonable distance.

Commercial Product Name: FIS P 380 C

Article-No.: -

Revision date: 22.04.2020

Version: 1/en

Print date: 24.04.2020

tion itself, its combustion prod-

ucts, or released gases

#### 5.3 Advice for firefighters

Special protective equipment for

firefighting

In case of fire: Wear self-contained breathing apparatus.

For the protection against direct skin contact, body protective clothing is

essential (in addition to the usual working clothes).

Additional information on fire-

fighting

Suppress (knock down) gases/vapours/mists with a water spray jet.

Do not allow water used to extinguish fire to enter drains, ground or wa-

terways.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions For non-emergency personnel

Accidental release measures:

Wear personal protection equipment (refer to section 8).

Remove all sources of ignition.

Ensure adequate ventilation, especially in confined areas.

#### **6.2 Environmental precautions**

**Environmental precautions** The product should not be allowed to enter drains, water courses or the

soil.

Prevent spread over a wide area (e.g. by containment or oil barriers).

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up Allow stiffening. Take up mechanically.

Treat the recovered material as prescribed in the section on waste dis-

posal.

#### 6.4 Reference to other sections

Reference to other sections Reference to other sections: 7 / 8 / 13

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Advice on safe handling Caution: During machining in cured state dust is formed.

Keep container tightly closed.

Hygiene measures: When using do not eat, drink or smoke. Wash hands

before breaks and after work.

Take off contaminated clothing and wash it before reuse.

Advice on protection against fire

and explosion

No special measures are necessary.

Commercial Product Name: FIS P 380 C

Article-No.: -

Revision date: 22.04.2020

Version: 1/en Print date: 24.04.2020



#### 7.2 Conditions for safe storage, including any incompatibilities

Storage space and container re-

quirements

Keep/Store only in original container. Keep container tightly closed and dry.

Store in accordance with local regulations.

Unsuitable materials for contain-

ers

Keep only in original container.

Hints on storage assembly Keep away from food, drink and animal feedingstuffs.

German storage class 10-13 (TRGS 510)

Recommended storage tempera-

ture

+5 - 25 °C

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

portland cement

Great Britain				
Long-term exposure value/ mg/m3	Remarks	Source		
10	inhalable dust	Company data		
4	respirable dust	Company data		

dibenzoyl peroxide

Great Britain	
Long-term exposure value/ mg/m3	Source
5	EH40/2005 Workplace exposure limits (2011)

#### 8.2 Exposure controls

Respiratory protection Usually no personal respirative protection necessary.

In case of inadequate ventilation wear respiratory protection.

Hand protection Health injuries are not known or expected under normal use. For pro-

longed or repeated contact use protective gloves. May cause sensitization of susceptible persons by skin contact. Avoid contact with eyes and skin.

Suitable material Protective gloves complying with EN 374. Butyl caoutchouc (butyl rubber),

CR (polychloroprene, chloroprene rubber), NBR (Nitrile rubber), Fluorinat-

ed rubber

Unsuitable material PVC or rubber gloves are not recommended.

Material thickness adjust to application and duration of use

Break through time > 120 min

Evaluation -

Commercial Product Name: FIS P 380 C

Article-No.: -

Version: 1/en

Revision date: 22.04.2020

fischer with solutions

Print date: 24.04.2020

Remarks Take note of the information given by the producer concerning perme-

ability and break through times, and of special workplace conditions (me-

chanical strain, duration of contact).

Note Replace when worn.

Eye protection Wear closely fitting protective glasses in case of splashes.

Safety glasses with side-shields conforming to EN166

Skin and body protection Long sleeved clothing

Note Choose body protection according to the amount and concentration of

the dangerous substance at the work place.

General protective and hygiene

measures

Do not eat, drink or smoke when using this product.

Avoid contact with the skin and the eyes.

Wash hands and face before breaks and after work and take a shower if

necessary.

Keep away from food, drink and animal feedingstuffs. Use protective skin cream before handling the product.

Information on environmental

protection regulations

No special environmental measures are necessary.

see section 6/7

Engineering measures Provide adequate ventilation.

### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Form Paste

Colour grey

Odour characteristic

Odour threshold not determined

pH (min) No data available

pH (max) No data available

Melting point [°C] / Freezing point

[°C]

No data available

Boiling point [°C] No data available

Flash point [°C] > 100

Evaporation rate [kg/(s\*m²)] No data available

Flammability (solid, gas) No data available

Explosion limits [Vol-%]

Remarks No data available

Vapour pressure [kPa] No data available

Commercial Product Name: FIS P 380 C

Article-No.: -

Revision date: 22.04.2020

Version: 1/en Print date: 24.04.2020

innovative solutions

Vapour density No data available

Density [g/cm<sup>3</sup>] 1,7 - 1,9

Temperature 23 °C

Relative density

No data available

Solubility

No data available

Water solubility [g/l] No data available

Solubility [g/l] No data available

Partition coefficient n-octanol /wa-

ter (log P O/W)

No data available

Autoinflammability not auto-flammable

Decomposition temperature [°C] No data available

Viscosity, dynamic [kg/(m\*s)] 90 - 150

Temperature 23 °C

Explosive properties not explosive.

Oxidising properties No

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Reactivity No hazardous reaction when handled and stored according to provisions.

No decomposition if stored and applied as directed.

10.2 Chemical stability

Chemical stability Stable when applying the recommended regulations for storage and han-

dling. Further information on correct storage: refer to section 7.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions No hazardous reaction when handled and stored according to provisions.

10.4 Conditions to avoid

Conditions to avoid The mixture is chemically stable under recommended conditions of stor-

age, use and temperature.

10.5 Incompatible materials

Materials to avoid Strong acids and oxidizing agents

Commercial Product Name: FIS P 380 C

Article-No.: -

Revision date: 22.04.2020

Version: 1/en Print date: 24.04.2020



#### 10.6 Hazardous decomposition products

Hazardous decomposition prod- No known hazardous decomposition products.

ucts

## **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### Oral toxicity [mg/kg]

Hazardous ingredients

portland cement			
Value	Test criterion	Remarks	Source
> 2000	LD50	literature value	Company data

2-hydroxypropyl methacrylate				
Value	Test criterion	Test species	Remarks	Source
> 2000	LD50	rat	OECD 401 Limit Test.	Company data

tetramethylendimethacrylat				
Value	Test criterion	Test species	Source	
>5000	LD50	Rat	Company data	

dibenzoyl peroxide			
Value	Test criterion	Test species	Source
> 5000	LD50	rat	Company data

2-methylisothiazol-3(2H)-one		
Value	Test criterion	Source
600	LC50	Company data

#### Dermal toxicity [mg/kg]

portland cemen	nt			
Value	Test criterion	Test species	Remarks	Source
> 2000	LD50	rabbit	Limit test 2000 mg/kg	Company data

2-hydroxypropyl methacrylate				
Value	Test criterion	Test species	Source	
> 5000	LD50	rabbit	Company data	

tetramethylendimethacrylat				
Value	Test criterion	Test species	Source	
>3000	LD50	Rabbit	Company data	

Article-No.: -

Revision date: 22.04.2020





2-methylisothiazol-3(2H)-one		
Value	Test criterion	Source
> 5000	LD50	Company data

# Inhalative toxicity [mg/l] Hazardous ingredients

portland cement				
Value	Test criterion	Test species	Note	Source
> 5	LC50	rat	Limit Test 5 g/m <sup>3</sup>	Company data

2-hydroxypropyl methacrylate	
Value	Source
No data available	Company data

tetramethylendimethacrylat	
Value	Source
Based on available data, the classification criteria are not met.	Company data

dibenzoyl peroxide			
Value	Test criterion	Test species	Source
> 24300	LC50	rat	Company data

#### LC50 Inhalation 1h for gases [ppmV]

#### **Hazardous ingredients**

nazaraous ingreateres	
tetramethylendimethacrylat	
Value	Source
Based on available data, the classification criteria	Company data
are not met.	

#### LC50 Inhalation 4h for gases [ppmV]

#### Hazardous ingredients

tetramethylendimethacrylat	
Value	Source
Based on available data, the classification criteria	Company data
are not met.	

#### LC50 Inhalation 1h for vapours [mg/l]

#### Hazardous ingredients

tetramethylendimethacrylat	
Value	Source
Based on available data, the classification criteria	Company data
are not met.	


#### LC50 Inhalation 4h for vapours [mg/l]

#### Hazardous ingredients

tetramethylendimethacrylat

Article-No.: -

Revision date: 22.04.2020



Version: 1/en Print date: 24.04.2020

Value	Source
Based on available data, the classification criteria	Company data
are not met.	

#### LC50 Inhalation 4h for dusts and sprays [mg/l]

**Hazardous ingredients** 

tetramethylendimethacrylat	
Value	Source
Based on available data, the classification criteria	Company data
are not met.	

#### LC50 Inhalation 1h for dusts and sprays [mg/l]

**Hazardous ingredients** 

tetramethylendimethacrylat	
Value	Source
Based on available data, the classification criteria	Company data
are not met.	

#### Irritant effect on skin

**Hazardous ingredients** 

portland cement	
Value	Source
Irritant	Company data

2-hydroxypropyl methacrylate		
Value	Measuring method	Source
No skin irritation	OECD Test Guideline 404	Company data

tetramethylendi	methacrylat			
Value	Measuring method	Test species	Exposure dura- tion	Source
Not an irritant.	FDA 1959	Rabbit	24 h	Company data

#### Irritant effect on eyes

portland cement	
Value	Source
Causes serious eye damage.	Company data

2-hydroxypropyl methacrylate		
Value	Measuring method	Source
irritating	OECD 405	Company data

tetramethylendimethacrylat			
Value	Test species	Exposure duration	Source
Not an irritant.	Rabbit	24 h	Company data

Article-No.: -

Revision date: 22.04.2020

Version: 1/en Print date: 24.04.2020



#### Irritant effect on the respiratory tract

Hazardous ingredients

portland cement	
Value	Source
Based on available data, the classification criteria	Company data
are not met.	

tetramethylendimeth	acrylat		
Value	Test species	Exposure duration	Source
Not an irritant.	Mouse	24 h	Company data

#### Sensitization

**Hazardous ingredients** 

portland cement	
Value	Source
No sensitization responses were observed.	Company data

2-hydroxypropyl methacrylate	
Value	Source
Skin sensitizer	Company data

tetramethylendimethacrylat			
Value	Measuring method	Test species	Source
Skin sensitisation	OECD 429	Mouse	Company data

2-methylisothiazol-3(2H)-one			
Value	Measuring method	Test species	Source
Skin sensitisation	OECD 429	Mouse	Company data

#### **Carcinogenic effects**

portland cement	
Value	Source
Based on available data, the classification criteria	Company data
are not met.	

2-hydroxypropyl methacrylate	
Value	Source
Not applicable.	Company data

tetramethylendimethacrylat	
Value	Source
Based on available data, the classification criteria	Company data
are not met.	

Article-No.: -

Revision date: 22.04.2020

Version: 1/en Print date: 24.04.2020



# Mutagenicity Hazardous ingredients

portland cement	
Value	Source
Based on available data, the classification criteria	Company data
are not met.	

2-hydroxypropyl methacrylate		
Value	Remarks	Source
Not applicable.	OECD 471 (Ames Test) / OECD 476.	Company data

tetramethylendimethacrylat	
Value	Source
Based on available data, the classification criteria	Company data
are not met.	

#### **Reproduction toxicity**

#### **Hazardous ingredients**

portland cement	
Value	Source
Based on available data, the classification criteria	Company data
are not met.	

2-hydroxypropyl methacrylate		
Value	Remarks	Source
Not applicable.	OECD 422	Company data

tetramethylendimethacrylat	
Value	Source
Based on available data, the classification criteria	Company data
are not met.	

#### **Caustic effect**

portland cement	
Value	Source
Based on available data, the classification criteria are not met.	Company data

2-hydroxypropyl methacrylate		
Value	Source	
Not applicable.	Company data	

tetramethylendi	methacrylat			
Value	Measuring method	Test species	Exposure dura- tion	Source
Not an irritant.	FDA 1959	Rabbit	24 h	Company data

Article-No.: -

Revision date: 22.04.2020

Version: 1/en Print date: 24.04.2020



#### Specific target organ toxicity (single exposure) [mg/kg]

**Hazardous ingredients** 

portland cement	
Specific effects	Source
Irritating to respiratory system. (dust)	Company data

2-hydroxypropyl methacrylate	
Remarks	Source
Not applicable.	Company data

tetramethylendimethacrylat	
Remarks	Source
*1)	Company data

<sup>\*1):</sup> Based on available data, the classification criteria are not met.

#### Specific target organ toxicity (repeated exposure) [mg/kg]

**Hazardous ingredients** 

portland cement	
Remarks	Source
*1)	Company data

<sup>\*1):</sup> Based on available data, the classification criteria are not met.

2-hydroxypropyl methacrylate	
Remarks	Source
Not applicable.	Company data

tetramethylendimethacrylat	
Remarks	Source
*1)	Company data

<sup>\*1):</sup> Based on available data, the classification criteria are not met.

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### Toxicity to fish [mg/l]

portland cement		
Value	Test criterion	Source
> 100	LC50	Company data

2-hydroxypro	pyl methacrylate	·			
Value	Test criteri-	Test species	Measuring	Exposure	Source
	on		method	duration	

Article-No.: -

Revision date: 22.04.2020



Print date: 24.04.2020 Version: 1/en

493	LC50	Leuciscus idus (Golden orfe)	DIN 38412	48 h	Company da- ta
-----	------	------------------------------------	-----------	------	-------------------

Value	Tost suita	Test	Mea-	Evnosuro	Remarks	Source
Value	Test crite- rion	species	suring method	Exposure duration	Remarks	Source
32,5	LC50:	Leucis-	DIN	48 h	By analo-	Company
,-		cus idus (Golden	38412 / part 15		gy.	data

dibenzoyl peroxide					
Value	Test criterion	Exposure duration	Source		
0,06	LC50	96 h	Company data		

2-methylisothiazol-3(2H)-one						
Value	Test criteri- on	Test species	Measuring method	Exposure duration	Source	
30	LC50	On- corhynchus mykiss (Rain- bow trout)	OECD 203	96 h	Company da- ta	

# Toxicity to daphnia [mg/l] Hazardous ingredients

portland cement			
Value	Test criterion	Test species	Source
> 100	LC50	Daphnia magna (Wa- ter flea)	Company data

2-hydroxypro	pyl methacrylate				
Value	Test criteri- on	Test species	Exposure duration	Measuring method	Source
> 130	EC50	Daphnia magna (Wa- ter flea)	48 h	OECD Test Guideline 202	Company da- ta

tetramethylendimethacrylat					
Value	Test criteri-	Test species	Exposure	Measuring	Source
	on		duration	method	
7,51	EC10	Daphnia magna (Big water flea)	48 h	OECD 211	Company da- ta

dibenzoyl peroxi	de			
Value	Test criterion	Test species	Exposure dura- tion	Source

Article-No.: -

Revision date: 22.04.2020





0,11	EC50	Daphnia magna (Big water flea)	48 h	Company data
		(Dig water fiea)		

2-methylisothiazol-3(2H)-one					
Value	Test criteri- on	Test species	Exposure duration	Measuring method	Source
8,4	EC50	Daphnia magna (Big water flea)	48 h	OECD 202	Company da- ta

#### Toxicity to algae [mg/l]

**Hazardous ingredients** 

portland cement		
Value	Test criterion	Source
> 100	EC50	Company data

2-hydroxypropyl methacrylate						
Value	Test criteri- on	Test species	Exposure duration	Measuring method	Source	
> 97,2	EC50	Selenastrum capricornu- tum	72 h	OECD Test Guideline 201	Company da- ta	

tetramethylendimethacrylat					
Value	Test criteri- on	Test species	Exposure duration	Measuring method	Source
9,78	EC50	Desmod- esmus sub- spicatus	72 h	OECD 201	Company da- ta

dibenzoyl peroxide			
Value	Test criterion	Exposure duration	Source
0,06	EC50	72 h	Company data

2-methylisothiazol-3(2H)-one						
Value	Test criteri- on	Test species	Exposure duration	Measuring method	Source	
0,79	IC50:	Pseudokirch- neriella sub- capitata	72 h	OECD 201	Company da- ta	

#### NOEC (fish) [mg/l]

Hazardous ingredients

tetramethylendimethacrylat	
Value	Source
20	Company data

#### 2-methylisothiazol-3(2H)-one

Article-No.: -

Revision date: 22.04.2020

Version: 1/en Print date: 24.04.2020



Value	Test criterion	Test species	Measuring method	Source
11,9	NOEC	Pimephales promelas (fat- head minnow)	OECD 210	Company data

#### NOEC (daphnia) [mg/l]

**Hazardous ingredients** 

2-hydroxypropyl methacrylate				
Value	Test criterion	Test species	Measuring method	Source
24,1	NOEC	Daphnia magna (Big water flea)	OECD 202	Company data

tetramethylendimethacrylat	
Value	Source
20	Company data

2-methylisothiazol-3(2H)-one				
Value	Test criterion	Test species	Measuring method	Source
2,75	NOEC	Daphnia magna (Big water flea)	OECD 211	Company data

#### NOEC (algae) [mg/l]

**Hazardous ingredients** 

114241 4045 11181 04101105	
tetramethylendimethacrylat	
Value	Source
20	Company data

2-methylisothiazol-3(2H)-one				
Value	Test criterion	Test species	Measuring method	Source
0,15	NOEC	Pseudokirchner- iella subcapitata	OECD 201	Company data

#### 12.2 Persistence and degradability

#### **Biodegradability**

mazar dous migredients	
portland cement	
Value	Source
Not applicable. (inorganic)	Company data

2-hydroxypropyl methacrylate	
Value	Source
Readily biodegradable.	Company data

Article-No.: -

Revision date: 22.04.2020

Version: 1/en Print date: 24.04.2020



tetramethylendimethacrylat	
Remarks	Source
*1)	Company data

<sup>\*1):</sup> Readily biodegradable (according to OECD criteria).

2-methylisothiazol-3(2H)-one	
Value	Source
Readily biodegradable.	Company data

#### 12.3 Bioaccumulative potential

#### **Bioaccumulation**

#### Hazardous ingredients

portland cement	
Value	Source
Not applicable. (inorganic)	Company data

2-hydroxypropyl methacrylate	
Value	Source
no data available	Company data

tetramethylendimethacrylat	
Value	Source
Based on the n-octanol/water partition coefficient	Company data
accumulation in organisms is not expected.	

#### 12.4 Mobility in soil

#### Mobility

#### **Hazardous ingredients**

portland cement	
Value	Source
Not applicable. (inorganic)	Company data

2-hydroxypropyl methacrylate	
Value	Source
No data available	Company data

#### 12.5 Results of PBT and vPvB assessment

#### **Results of PBT characteristics determination**

portland cement	
Value	Source
Not applicable.	Company data

z-nydroxypropyi metnacrylate		

Commercial Product Name: FIS P 380 C

Article-No.: -

Revision date: 22.04.2020





Value	Source
Not applicable.	Company data

tetramethylendimethacrylat	
Value	Source
This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.	Company data

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Disposal considerations Do not allow to enter into surface water or drains.

Dispose of waste according to applicable legislation.

Empty remaining contents.

Empty packaging: Where possible recycling is preferred to disposal or in-

cineration.

Product: Can be disposed of as a solid waste or burned in a suitable in-

stallation subject to local regulations.

Waste Code According to the European Waste Catalogue, Waste Codes are not prod-

uct specific, but application specific.

The following Waste Codes are only suggestions:

Product (Mortar and Curing agent)

200127 - paint, inks, adhesives and resins containing dangerous sub-

stances

080409 - waste adhesives and sealants containing organic solvents or

other dangerous substances

cured material and completely squeezed cartridges

200000 - MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING

SEPARATELY COLLECTED FRACTIONS

### **SECTION 14: Transport information**

	Land transport ADR/RID	Marine transport IMDG	Air transport ICAO/IATA
14.1 UN-No	Not applicable.	Not applicable.	Not applicable.
14.2 Description of the	No dangerous good accord-	No dangerous good accord-	No dangerous good accord-
goods	ing to ADR	ing to IMDG	ing to IATA
14.3 Transport hazard	Not applicable.	Not applicable.	Not applicable.
class(es)			
14.4 Packaging group	Not applicable.	Not applicable.	Not applicable.
14.5 Environmental hazards	Not applicable.	Not applicable.	Not applicable.
14.2 UN proper shipping		Non dangerous good	Non dangerous good
name			

Commercial Product Name: FIS P 380 C

Article-No.: -

Revision date: 22.04.2020

Version: 1/en Print date: 24.04.2020



#### 14.6 Special precautions for user

Precautions No special measures are necessary.

#### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to

not applicable

Annex II of MARPOL and the IBC

Code

### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Decopaint regulation not relevant

Carcinogenic hazardous sub-

stance as per Annex II GefStoffV

No

Restriction of occupation. no restriction

#### 15.2 Chemical safety assessment

Safety assessment For this preparation a chemical safety assessment has been carried out.

This safety data sheet contains more than one ES in an integrated form. Contents of the exposure scenarios have been included into sections 1.2,

8, 9, 12, 15 and 16 of this safety data sheet.

Additional regulations This Safety Data Sheet is prepared according to Commission Regulation

(EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evalua-

tion, Authorisation and Restriction of Chemicals (REACH)

### **SECTION 16: Other information**

Relevant H-phrases H241: Heating may cause a fire or explosion.

H301: Toxic if swallowed.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage. H319: Causes serious eye irritation.

H330: Fatal if inhaled.

H335: May cause respiratory irritation.

H400: Very toxic to aquatic life.

H411: Toxic to aquatic life with long lasting effects.

Wording of the hazard classes Skin Irrit.: Skin irritation

Eye Dam.: Serious eye damage

STOT SE: Specific target organ toxicity - single exposure

Commercial Product Name: FIS P 380 C

Article-No.: -

Revision date: 22.04.2020





Skin Sens.: Skin sensitization Eye Irrit.: Serious eye irritation

Aquatic Acute: Hazardous to the aquatic environment Aquatic Chronic: Hazardous to the aquatic environment

Acute Tox.: Acute toxicity

Classification for mixtures and used evaluation method according to regulation (EC) 1272/2008 Classification **Evaluation** Eye Dam. 1; H318 Calculated Skin Sens. 1; H317 Calculated

[CLP]

Recommended restrictions

Observe technical data sheet.