

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name: FIS VW 360 S - Component A (Mortar)

Revision Date: 28.10.2020

Version: 2/en



Replaces version from: 16.09.2020

Print date: 28.10.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Commercial Product Name **FIS VW 360 S - Component A (Mortar)**

Unique Formulation Identifier (UFI) D710-80EN-C00J-34K8

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses composite mortar

Recommended restrictions Observe technical data sheet.

1.3 Details of the supplier of the safety data sheet

Company designation fischerwerke GmbH & Co. KG
Klaus-Fischer-Straße 1
D-72178 Waldachtal
Telephone: +49(0)7443 12-0
FAX: +49(0)7443 12-4222
Email: info-sdb@fischer.de
Internet: www.fischer.de

Marketer Great Britain: Mrs Mirka Valovicova, fischer Fixing (UK) Ltd
Hithercroft Road
Wallingford, Oxfordshire, OX10 9AT
Telephone: +44 01491 827 920
FAX: +44 01491 827 950
Internet: www.fischer.co.uk

1.4 Emergency telephone number

Emergency telephone number +49(0)6132-84463 (24h)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317

2.2 Label elements

Hazard pictogram



GHS05



GHS07

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name: FIS VW 360 S - Component A (Mortar)

Revision Date: 28.10.2020

Version: 2/en



Replaces version from: 16.09.2020

Print date: 28.10.2020

Signal word	Danger
Hazardous component(s) to be indicated on label	portland cement , tetramethylendimethacrylat , 2-hydroxypropyl methacrylate
H-statement(s)	H315: Causes skin irritation. H317: May cause an allergic skin reaction. H318: Causes serious eye damage.
P-statement(s)	P101: If medical advice is needed, have product container or label at hand. P102: Keep out of reach of children. P280: Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310: Immediately call a POISON CENTER/doctor.

2.3 Other hazards

Health hazard	No information available.
Particular information pertaining specific risk for human / environment	No information available.
Indication of danger	No information available.
Hazard precautions	No information available.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous ingredients

Ingredient	CAS No.	Classification (EC) 1272/2008	Concentration
ethoxyliertes Bisphenol-A-Dimethacrylat	CAS No.: 41637-38-1 EC-No.: 246-263-7 REACH No.: 01-2119980659-17	Aquatic Chronic 4; H413	10.0 - 25.0 % by weight
portland cement	CAS No.: 65997-15-1 EC-No.: 266-043-4 REACH No.: The substance does not require registration according to Regulation (EC) No 1907/2006 [REACH].	Skin Irrit. 2;H315 Eye Dam. 1; H318 STOT SE 3;H335	>= 10.0 - 20.0 %
Reaction mass of 2,2'-[[4-methylphenyl]imino]bisethanol and Ethanol 2-[[2-(2-hydroxyethoxy)ethyl](4-methylphenyl)amino]-	EC-No.: 911-490-9 REACH No.: 01-2119979579-10	Acute Tox. 4; H302 Eye Dam. 1; H318 Skin Irrit. 2; H315 Skin Sens. 1; H317 Aquatic Chronic 3; H412	< 2.5 % by weight
tetramethylendimethacrylat	CAS No.: 2082-81-7 EC-No.: 218-218-1	Skin Sens. 1B;H317	>= 1.0 - 100.0 %

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name: FIS VW 360 S - Component A (Mortar)

Revision Date: 28.10.2020

Version: 2/en



Replaces version from: 16.09.2020

Print date: 28.10.2020

Ingredient	CAS No.	Classification (EC) 1272/2008	Concentration
	REACH No.: 01-2119967415-30		
2-hydroxypropyl methacrylate	CAS No.: 27813-02-1 EC-No.: 248-666-3 REACH No.: 01-2119490226-37	Skin Sens. 1; H317 Eye Irrit. 2; H319	>= 1.0 - 10.0 %

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	Take off immediately all contaminated clothing. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Wear personal protection equipment (refer to section 8).
If inhaled	Provide fresh air. In case of respiratory tract irritation, consult a physician.
In case of skin contact	After contact with skin, wash immediately with plenty of water and soap. Do NOT use solvents or thinners.
In case of eye contact	Remove contact lenses. In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.
If swallowed	If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Immediate medical attention If unconscious place in recovery position and seek medical advice.

Special medical treatment Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	spray mist, (water), Water spray jet, alcohol resistant foam, carbon dioxide, Extinguishing powder
Extinguishing media which must not be used for safety reasons	Full water jet

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name: FIS VW 360 S - Component A (Mortar)

Revision Date: 28.10.2020

Version: 2/en



Replaces version from: 16.09.2020

Print date: 28.10.2020

5.2 Special hazards arising from the substance or mixture

Special exposure hazards arising from the substance or preparation itself, its combustion products, or released gases

Heating or fire can release toxic gas.
Fight fire with normal precautions from a reasonable distance.

5.3 Advice for firefighters

Special protective equipment for firefighting

In case of fire: Wear self-contained breathing apparatus.
For the protection against direct skin contact, body protective clothing is essential (in addition to the usual working clothes).

Additional information on fire-fighting

Suppress (knock down) gases/vapours/mists with a water spray jet.
Do not allow water used to extinguish fire to enter drains, ground or waterways.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions

For non-emergency personnel
Accidental release measures:
Wear personal protection equipment (refer to section 8).
Remove all sources of ignition.
Ensure adequate ventilation, especially in confined areas.

6.2 Environmental precautions

Environmental precautions

The product should not be allowed to enter drains, water courses or the soil.
Prevent spread over a wide area (e.g. by containment or oil barriers).

6.3 Methods and material for containment and cleaning up

Methods for cleaning up

Allow stiffening. Take up mechanically.
Treat the recovered material as prescribed in the section on waste disposal.

6.4 Reference to other sections

Reference to other sections

Reference to other sections : 7 / 8 / 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Keep container tightly closed.
Hygiene measures: When using do not eat, drink or smoke. Wash hands before breaks and after work.
Take off contaminated clothing and wash it before reuse.

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name: FIS VW 360 S - Component A (Mortar)

Revision Date: 28.10.2020

Version: 2/en



Replaces version from: 16.09.2020

Print date: 28.10.2020

Caution: During machining in cured state dust is formed.

Advice on protection against fire and explosion

No special measures are necessary.

7.2 Conditions for safe storage, including any incompatibilities

Storage space and container requirements

Keep/Store only in original container.
Keep container tightly closed and dry.
Store in accordance with local regulations.

Unsuitable materials for containers

Keep only in original container.

Hints on storage assembly

Keep away from food, drink and animal feedingstuffs.

German storage class

10-13 (TRGS 510)

Recommended storage temperature

+5 - 25 °C

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

portland cement

Great Britain

Long-term exposure value/ mg/m3	Remarks	Source
10	inhalable dust	Company data
4	respirable dust	Company data

8.2 Exposure controls

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Hand protection

Health injuries are not known or expected under normal use. For prolonged or repeated contact use protective gloves.

Suitable material

Protective gloves complying with EN 374. Butyl caoutchouc (butyl rubber), CR (polychloroprene, chloroprene rubber), NBR (Nitrile rubber), Fluorinated rubber

Unsuitable material

PVC or rubber gloves are not recommended.

Material thickness

adjust to application and duration of use

Break through time

adjust to application and duration of use

Remarks

Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).

Note

Replace when worn.

Eye protection

Wear closely fitting protective glasses in case of splashes.
Safety glasses with side-shields conforming to EN166

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name: FIS VW 360 S - Component A (Mortar)

Revision Date: 28.10.2020

Version: 2/en



Replaces version from: 16.09.2020

Print date: 28.10.2020

Skin and body protection	Long sleeved clothing
Note	Choose body protection according to the amount and concentration of the dangerous substance at the work place.
General protective and hygiene measures	Do not eat, drink or smoke when using this product. Avoid contact with the skin and the eyes. Wash hands and face before breaks and after work and take a shower if necessary. Keep away from food, drink and animal feedingstuffs. Use protective skin cream before handling the product.
Information on environmental protection regulations	No special environmental measures are necessary. see section 6/7
Engineering measures	Provide adequate ventilation.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	Paste
Colour	grey
Odour	characteristic
Odour threshold	not determined
Melting point [°C] / Freezing point [°C]	No data available
Boiling point [°C]	No data available
Flash point [°C]	> 100
Evaporation rate [kg/(s*m ²)]	No data available
Flammability (solid, gas)	No data available
Explosion limits [Vol-%]	
Remarks	No data available
Vapour pressure [kPa]	No data available
Vapour density	No data available
Density [g/cm ³]	1,7 - 1,8
Temperature	23 °C
Relative density	No data available
Solubility	No data available
Water solubility [g/l]	No data available
Solubility [g/l]	No data available

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name: FIS VW 360 S - Component A (Mortar)

Revision Date: 28.10.2020

Version: 2/en



Replaces version from: 16.09.2020

Print date: 28.10.2020

Partition coefficient n-octanol /water (log P O/W)	No data available
Autoinflammability	not auto-flammable
Decomposition temperature [°C]	No data available
Viscosity, dynamic [kg/(m*s)]	100 - 160
Temperature	23 °C
Explosive properties	not explosive.
Oxidising properties	No

SECTION 10: Stability and reactivity

10.1 Reactivity

Reactivity No hazardous reaction when handled and stored according to provisions.
No decomposition if stored and applied as directed.

10.2 Chemical stability

Chemical stability Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

10.3 Possibility of hazardous reactions

Hazardous reactions No hazardous reaction when handled and stored according to provisions.

10.4 Conditions to avoid

Conditions to avoid The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.5 Incompatible materials

Materials to avoid Strong acids and oxidizing agents

10.6 Hazardous decomposition products

Hazardous decomposition products No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Oral toxicity [mg/kg]

Hazardous ingredients

ethoxyliertes Bisphenol-A-Dimethacrylat				
Value	Test criterion	Test species	Remarks	Source
> 2000	LD50	rat	OECD 423	Company data

portland cement

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name: FIS VW 360 S - Component A (Mortar)



Revision Date: 28.10.2020

Replaces version from: 16.09.2020

Version: 2/en

Print date: 28.10.2020

Value	Test criterion	Remarks	Source
> 2000	LD50	literature value	Company data

Reaction mass of 2,2'-[(4-methylphenyl)imino]bisethanol and Ethanol 2-[[2-(2-hydroxyethoxy)ethyl]-(4-methylphenyl)amino]-

Value	Test criterion	Remarks	Source
619	LD50	OECD 401	Company data

tetramethylendimethacrylat

Value	Test criterion	Test species	Source
>5000	LD50	Rat	Company data

2-hydroxypropyl methacrylate

Value	Test criterion	Test species	Remarks	Source
> 2000	LD50	rat	OECD 401 Limit Test.	Company data

Dermal toxicity [mg/kg]**Hazardous ingredients****ethoxyliertes Bisphenol-A-Dimethacrylat**

Value	Test criterion	Remarks	Source
> 2000	LD50	OECD 402	Company data

portland cement

Value	Test criterion	Test species	Remarks	Source
> 2000	LD50	rabbit	Limit test 2000 mg/kg	Company data

Reaction mass of 2,2'-[(4-methylphenyl)imino]bisethanol and Ethanol 2-[[2-(2-hydroxyethoxy)ethyl]-(4-methylphenyl)amino]-

Value	Test criterion	Source
> 2000	LD50	Company data

tetramethylendimethacrylat

Value	Test criterion	Test species	Source
>3000	LD50	Rabbit	Company data

2-hydroxypropyl methacrylate

Value	Test criterion	Test species	Source
> 5000	LD50	rabbit	Company data

Inhalative toxicity [mg/l]**Hazardous ingredients****ethoxyliertes Bisphenol-A-Dimethacrylat**

Value	Source
No data available	Company data

portland cement

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name: FIS VW 360 S - Component A (Mortar)

Revision Date: 28.10.2020

Version: 2/en



Replaces version from: 16.09.2020

Print date: 28.10.2020

Value	Test criterion	Test species	Note	Source
> 5	LC50	rat	Limit Test 5 g/m ³	Company data

Reaction mass of 2,2'-[(4-methylphenyl)imino]bisethanol and Ethanol 2-[[2-(2-hydroxyethoxy)ethyl](4-methylphenyl)amino]-

Value	Source
No data available	Company data

tetramethyldimethacrylat

Value	Source
Based on available data, the classification criteria are not met.	Company data

2-hydroxypropyl methacrylate

Value	Source
No data available	Company data

LC50 Inhalation 1h for gases [ppmV]**Hazardous ingredients****tetramethyldimethacrylat**

Value	Source
Based on available data, the classification criteria are not met.	Company data

LC50 Inhalation 4h for gases [ppmV]**Hazardous ingredients****tetramethyldimethacrylat**

Value	Source
Based on available data, the classification criteria are not met.	Company data

LC50 Inhalation 1h for vapours [mg/l]**Hazardous ingredients****tetramethyldimethacrylat**

Value	Source
Based on available data, the classification criteria are not met.	Company data

LC50 Inhalation 4h for vapours [mg/l]**Hazardous ingredients****tetramethyldimethacrylat**

Value	Source
Based on available data, the classification criteria are not met.	Company data

LC50 Inhalation 4h for dusts and sprays [mg/l]**Hazardous ingredients****tetramethyldimethacrylat**

--	--

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name: FIS VW 360 S - Component A (Mortar)

Revision Date: 28.10.2020

Version: 2/en



Replaces version from: 16.09.2020

Print date: 28.10.2020

Value	Source
Based on available data, the classification criteria are not met.	Company data

LC50 Inhalation 1h for dusts and sprays [mg/l]**Hazardous ingredients**

tetramethyldimethacrylat	
Value	Source
Based on available data, the classification criteria are not met.	Company data

Irritant effect on skin**Hazardous ingredients**

ethoxyliertes Bisphenol-A-Dimethacrylat			
Value	Measuring method	Test species	Source
No skin irritation	OECD Test Guideline 404	rabbit	Company data

portland cement	
Value	Source
Irritant	Company data

Reaction mass of 2,2'-[(4-methylphenyl)imino]bisethanol and Ethanol 2-[[2-(2-hydroxyethoxy)ethyl](4-methylphenyl)amino]-		
Value	Measuring method	Source
Irritant	OECD 439	Company data

tetramethyldimethacrylat				
Value	Measuring method	Test species	Exposure duration	Source
Not an irritant.	FDA 1959	Rabbit	24 h	Company data

2-hydroxypropyl methacrylate		
Value	Measuring method	Source
No skin irritation	OECD Test Guideline 404	Company data

Irritant effect on eyes**Hazardous ingredients**

ethoxyliertes Bisphenol-A-Dimethacrylat	
Value	Source
No eye irritation	Company data

portland cement	
Value	Source
Causes serious eye damage.	Company data

Reaction mass of 2,2'-[(4-methylphenyl)imino]bisethanol and Ethanol 2-[[2-(2-hydroxyethoxy)ethyl](4-methylphenyl)amino]-		
--------------------------------------------------------------------------------------------------------------------------	--	--

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name: FIS VW 360 S - Component A (Mortar)

Revision Date: 28.10.2020

Version: 2/en



Replaces version from: 16.09.2020

Print date: 28.10.2020

Value	Measuring method	Source
Irritating to eyes.	OECD 405	Company data

tetramethylendimethacrylat			
Value	Test species	Exposure duration	Source
Not an irritant.	Rabbit	24 h	Company data

2-hydroxypropyl methacrylate		
Value	Measuring method	Source
irritating	OECD 405	Company data

Irritant effect on the respiratory tract**Hazardous ingredients**

ethoxyliertes Bisphenol-A-Dimethacrylat	
Value	Source
No data available	Company data

portland cement	
Value	Source
Based on available data, the classification criteria are not met.	Company data

tetramethylendimethacrylat			
Value	Test species	Exposure duration	Source
Not an irritant.	Mouse	24 h	Company data

Sensitization**Hazardous ingredients**

ethoxyliertes Bisphenol-A-Dimethacrylat			
Value	Measuring method	Test species	Source
No known effect.	OECD 429 LLNA	Mouse	Company data

portland cement	
Value	Source
No sensitization responses were observed.	Company data

Reaction mass of 2,2'-[(4-methylphenyl)imino]bisethanol and Ethanol 2-[[2-(2-hydroxyethoxy)ethyl](4-methylphenyl)amino]-		
Value	Measuring method	Source
Skin sensitizer	OECD 429	Company data

tetramethylendimethacrylat			
Value	Measuring method	Test species	Source
Skin sensitisation	OECD 429	Mouse	Company data

2-hydroxypropyl methacrylate	
Value	Source

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name: FIS VW 360 S - Component A (Mortar)

Revision Date: 28.10.2020

Version: 2/en



Replaces version from: 16.09.2020

Print date: 28.10.2020

Skin sensitizer	Company data
-----------------	--------------

Carcinogenic effects**Hazardous ingredients**

ethoxyliertes Bisphenol-A-Dimethacrylat	
Value	Source
No data available	Company data

portland cement	
Value	Source
Based on available data, the classification criteria are not met.	Company data

Reaction mass of 2,2'-[(4-methylphenyl)imino]bisethanol and Ethanol 2-[[2-(2-hydroxyethoxy)ethyl](4-methylphenyl)amino]-	
Value	Source
Not applicable.	Company data

tetramethyldimethacrylat	
Value	Source
Based on available data, the classification criteria are not met.	Company data

2-hydroxypropyl methacrylate	
Value	Source
Not applicable.	Company data

Mutagenicity**Hazardous ingredients**

ethoxyliertes Bisphenol-A-Dimethacrylat	
Value	Source
Ames test negative.	Company data

portland cement	
Value	Source
Based on available data, the classification criteria are not met.	Company data

Reaction mass of 2,2'-[(4-methylphenyl)imino]bisethanol and Ethanol 2-[[2-(2-hydroxyethoxy)ethyl](4-methylphenyl)amino]-	
Value	Source
Not applicable.	Company data

tetramethyldimethacrylat	
Value	Source
Based on available data, the classification criteria are not met.	Company data

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name: FIS VW 360 S - Component A (Mortar)

Revision Date: 28.10.2020

Version: 2/en



Replaces version from: 16.09.2020

Print date: 28.10.2020

2-hydroxypropyl methacrylate		
Value	Remarks	Source
Not applicable.	OECD 471 (Ames Test) / OECD 476.	Company data

Reproduction toxicity**Hazardous ingredients**

ethoxyliertes Bisphenol-A-Dimethacrylat	
Value	Source
Did not show mutagenic or teratogenic effects in animal experiments.	Company data

portland cement	
Value	Source
Based on available data, the classification criteria are not met.	Company data

Reaction mass of 2,2'-[(4-methylphenyl)imino]bisethanol and Ethanol 2-[[2-(2-hydroxyethoxy)ethyl](4-methylphenyl)amino]-	
Value	Source
Not applicable.	Company data

tetramethylendimethacrylat	
Value	Source
Based on available data, the classification criteria are not met.	Company data

2-hydroxypropyl methacrylate		
Value	Remarks	Source
Not applicable.	OECD 422	Company data

Caustic effect**Hazardous ingredients**

ethoxyliertes Bisphenol-A-Dimethacrylat	
Value	Source
No data available	Company data

portland cement	
Value	Source
Based on available data, the classification criteria are not met.	Company data

Reaction mass of 2,2'-[(4-methylphenyl)imino]bisethanol and Ethanol 2-[[2-(2-hydroxyethoxy)ethyl](4-methylphenyl)amino]-	
Value	Source
none Corrosion	Company data

tetramethylendimethacrylat			
Value	Measuring method	Test species	Source

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name: FIS VW 360 S - Component A (Mortar)

Revision Date: 28.10.2020

Version: 2/en



Replaces version from: 16.09.2020

Print date: 28.10.2020

Not an irritant.	FDA 1959	Rabbit	Company data
------------------	----------	--------	--------------

2-hydroxypropyl methacrylate	
Value	Source
Not applicable.	Company data

Specific target organ toxicity (single exposure) [mg/kg]**Hazardous ingredients**

ethoxyliertes Bisphenol-A-Dimethacrylat	
Specific effects	Source
none	Company data

portland cement	
Specific effects	Source
Irritating to respiratory system. (dust)	Company data

Reaction mass of 2,2'-[(4-methylphenyl)imino]bisethanol and Ethanol 2-[[2-(2-hydroxyethoxy)ethyl][(4-methylphenyl)amino]-	
Remarks	Source
Not applicable.	Company data

tetramethylendimethacrylat	
Remarks	Source
*1)	Company data

*1): Based on available data, the classification criteria are not met.

2-hydroxypropyl methacrylate	
Remarks	Source
Not applicable.	Company data

Specific target organ toxicity (repeated exposure) [mg/kg]**Hazardous ingredients**

ethoxyliertes Bisphenol-A-Dimethacrylat	
Specific effects	Source
none	Company data

portland cement	
Remarks	Source
*1)	Company data

*1): Based on available data, the classification criteria are not met.

Reaction mass of 2,2'-[(4-methylphenyl)imino]bisethanol and Ethanol 2-[[2-(2-hydroxyethoxy)ethyl][(4-methylphenyl)amino]-	
Remarks	Source
Not applicable.	Company data

tetramethylendimethacrylat	
Remarks	Source

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name: FIS VW 360 S - Component A (Mortar)

Revision Date: 28.10.2020

Version: 2/en



Replaces version from: 16.09.2020

Print date: 28.10.2020

*1)

Company data

*1): Based on available data, the classification criteria are not met.

2-hydroxypropyl methacrylate	
Remarks	Source
Not applicable.	Company data

SECTION 12: Ecological information**12.1 Toxicity****Toxicity to fish [mg/l]****Hazardous ingredients**

ethoxyliertes Bisphenol-A-Dimethacrylat		
Value	Test criterion	Source
> 100	LC50	Company data

portland cement		
Value	Test criterion	Source
> 100	LC50	Company data

Reaction mass of 2,2'-[(4-methylphenyl)imino]bisethanol and Ethanol 2-[[2-(2-hydroxyethoxy)ethyl]-(4-methylphenyl)amino]-				
Value	Test criterion	Measuring method	Exposure duration	Source
> 100	LC50	OECD Test Guideline 203	96 h	Company data

tetramethylendimethacrylat						
Value	Test criterion	Test species	Measuring method	Exposure duration	Remarks	Source
32,5	LC50:	Leuciscus idus (Golden orfe)	DIN 38412 / part 15	48 h	By analogy.	Company data

2-hydroxypropyl methacrylate					
Value	Test criterion	Test species	Measuring method	Exposure duration	Source
493	LC50	Leuciscus idus (Golden orfe)	DIN 38412	48 h	Company data

Toxicity to daphnia [mg/l]**Hazardous ingredients**

ethoxyliertes Bisphenol-A-Dimethacrylat				
Value	Test criterion	Test species	Exposure duration	Source

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name: FIS VW 360 S - Component A (Mortar)

Revision Date: 28.10.2020

Version: 2/en



Replaces version from: 16.09.2020

Print date: 28.10.2020

> 100	EC50	Daphnia magna (Big water flea)	48 h	Company data
-------	------	-----------------------------------	------	--------------

portland cement			
Value	Test criterion	Test species	Source
> 100	LC50	Daphnia magna (Water flea)	Company data

Reaction mass of 2,2'-[(4-methylphenyl)imino]bisethanol and Ethanol 2-[[2-(2-hydroxyethoxy)ethyl](4-methylphenyl)amino]-					
Value	Test criterion	Test species	Exposure duration	Measuring method	Source
48	EC50	Daphnia magna (Big water flea)	48	OECD Test Guideline 202	Company data

tetramethyldimethacrylat					
Value	Test criterion	Test species	Exposure duration	Measuring method	Source
7,51	EC10	Daphnia magna (Big water flea)	48 h	OECD 211	Company data

2-hydroxypropyl methacrylate					
Value	Test criterion	Test species	Exposure duration	Measuring method	Source
> 130	EC50	Daphnia magna (Water flea)	48 h	OECD Test Guideline 202	Company data

Toxicity to algae [mg/l]

Hazardous ingredients

ethoxyliertes Bisphenol-A-Dimethacrylat				
Value	Test criterion	Test species	Exposure duration	Source
> 100	ErC50:	Pseudokirchneriella subcapitata	72 h	Company data

portland cement		
Value	Test criterion	Source
> 100	EC50	Company data

Reaction mass of 2,2'-[(4-methylphenyl)imino]bisethanol and Ethanol 2-[[2-(2-hydroxyethoxy)ethyl](4-methylphenyl)amino]-			
Value	Test criterion	Measuring method	Source
> 100	EC50	OECD Test Guideline 201	Company data

tetramethyldimethacrylat					
--------------------------	--	--	--	--	--

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name: FIS VW 360 S - Component A (Mortar)

Revision Date: 28.10.2020

Version: 2/en



Replaces version from: 16.09.2020

Print date: 28.10.2020

Value	Test criterion	Test species	Exposure duration	Measuring method	Source
9,78	EC50	Desmod-esmus sub-spicatus	72 h	OECD 201	Company data

2-hydroxypropyl methacrylate					
Value	Test criterion	Test species	Exposure duration	Measuring method	Source
> 97,2	EC50	Selenastrum capricornutum	72 h	OECD Test Guideline 201	Company data

NOEC (fish) [mg/l]

Hazardous ingredients

tetramethylendimethacrylat	
Value	Source
20	Company data

NOEC (daphnia) [mg/l]

Hazardous ingredients

tetramethylendimethacrylat	
Value	Source
20	Company data

2-hydroxypropyl methacrylate				
Value	Test criterion	Test species	Measuring method	Source
24,1	NOEC	Daphnia magna (Big water flea)	OECD 202	Company data

NOEC (algae) [mg/l]

Hazardous ingredients

tetramethylendimethacrylat	
Value	Source
20	Company data

12.2 Persistence and degradability

Biodegradability

Hazardous ingredients

ethoxyliertes Bisphenol-A-Dimethacrylat	
Value	Source
Not readily biodegradable.	Company data

portland cement	
Value	Source
Not applicable. (inorganic)	Company data

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name: FIS VW 360 S - Component A (Mortar)

Revision Date: 28.10.2020

Version: 2/en



Replaces version from: 16.09.2020

Print date: 28.10.2020

Reaction mass of 2,2'-[(4-methylphenyl)imino]bisethanol and Ethanol 2-[[2-(2-hydroxyethoxy)ethyl](4-methylphenyl)amino]-	
Value	Source
Not readily biodegradable.	Company data

tetramethylendimethacrylat	
Remarks	Source
*1)	Company data

*1): Readily biodegradable (according to OECD criteria).

2-hydroxypropyl methacrylate	
Value	Source
Readily biodegradable.	Company data

12.3 Bioaccumulative potential

Bioaccumulation

Hazardous ingredients

portland cement	
Value	Source
Not applicable. (inorganic)	Company data

Reaction mass of 2,2'-[(4-methylphenyl)imino]bisethanol and Ethanol 2-[[2-(2-hydroxyethoxy)ethyl](4-methylphenyl)amino]-		
Value	Remarks	Source
log Pow 2,17	*1)	Company data

*1): Based on the n-octanol/water partition coefficient accumulation in organisms is not expected.

tetramethylendimethacrylat	
Value	Source
Based on the n-octanol/water partition coefficient accumulation in organisms is not expected.	Company data

2-hydroxypropyl methacrylate	
Value	Source
no data available	Company data

12.4 Mobility in soil

Mobility

Hazardous ingredients

portland cement	
Value	Source
Not applicable. (inorganic)	Company data

Reaction mass of 2,2'-[(4-methylphenyl)imino]bisethanol and Ethanol 2-[[2-(2-hydroxyethoxy)ethyl](4-methylphenyl)amino]-	
Value	Source
log Koc: 2,33 (20 °C)	Company data

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name: FIS VW 360 S - Component A (Mortar)

Revision Date: 28.10.2020

Version: 2/en



Replaces version from: 16.09.2020

Print date: 28.10.2020

2-hydroxypropyl methacrylate	
Value	Source
No data available	Company data

12.5 Results of PBT and vPvB assessment

Results of PBT characteristics determination

Hazardous ingredients

ethoxyliertes Bisphenol-A-Dimethacrylat	
Value	Source
Not applicable.	Company data

portland cement	
Value	Source
Not applicable.	Company data

Reaction mass of 2,2'-[(4-methylphenyl)imino]bisethanol and Ethanol 2-[[2-(2-hydroxyethoxy)ethyl][(4-methylphenyl)amino]-	
Value	Source
Not applicable.	Company data

tetramethyldimethacrylat	
Value	Source
This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.	Company data

2-hydroxypropyl methacrylate	
Value	Source
Not applicable.	Company data

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Disposal considerations

Do not allow to enter into surface water or drains.
Dispose of waste according to applicable legislation.
Empty remaining contents.
Empty packaging: Where possible recycling is preferred to disposal or incineration.
Product: Can be disposed of as a solid waste or burned in a suitable installation subject to local regulations.

Waste Code

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific.
The following Waste Codes are only suggestions:
Product (Mortar and Curing agent)

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name: FIS VW 360 S - Component A (Mortar)

Revision Date: 28.10.2020

Version: 2/en



Replaces version from: 16.09.2020

Print date: 28.10.2020

200127 - paint, inks, adhesives and resins containing dangerous substances
080409 - waste adhesives and sealants containing organic solvents or other dangerous substances
cured material and completely squeezed cartridges
200000 - MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS

SECTION 14: Transport information

	Land transport ADR/RID	Marine transport IMDG	Air transport ICAO/IATA
14.1 UN-No	Not applicable.	Not applicable.	Not applicable.
14.2 Description of the goods	No dangerous good according to ADR	No dangerous good according to IMDG	No dangerous good according to IATA
14.3 Transport hazard class(es)	Not applicable.	Not applicable.	Not applicable.
14.4 Packaging group	Not applicable.	Not applicable.	Not applicable.
14.5 Environmental hazards	Not applicable.	Not applicable.	Not applicable.
14.2 UN proper shipping name		Non dangerous good	Non dangerous good

14.6 Special precautions for user

Precautions No special measures are necessary.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL and the IBC Code not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Decopaint regulation not relevant
Carcinogenic hazardous substance as per Annex II GefStoffV No
Restriction of occupation. no restriction

15.2 Chemical safety assessment

Safety assessment For this preparation a chemical safety assessment has been carried out. This safety data sheet contains more than one ES in an integrated form. Contents of the exposure scenarios have been included into sections 1.2, 8, 9, 12, 15 and 16 of this safety data sheet.

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name: FIS VW 360 S - Component A (Mortar)

Revision Date: 28.10.2020

Version: 2/en



Replaces version from: 16.09.2020

Print date: 28.10.2020

Additional regulations

This Safety Data Sheet is prepared according to Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

SECTION 16: Other information

Relevant H-phrases

H302: Harmful if swallowed.
H315: Causes skin irritation.
H317: May cause an allergic skin reaction.
H318: Causes serious eye damage.
H319: Causes serious eye irritation.
H335: May cause respiratory irritation.
H412: Harmful to aquatic life with long lasting effects.
H413: May cause long lasting harmful effects to aquatic life.

Wording of the hazard classes

Aquatic Chronic: Hazardous to the aquatic environment
Skin Irrit.: Skin irritation
Eye Dam.: Serious eye damage
STOT SE: Specific target organ toxicity - single exposure
Acute Tox.: Acute toxicity
Skin Sens.: Skin sensitization
Eye Irrit.: Serious eye irritation

Classification for mixtures and used evaluation method according to regulation (EC) 1272/2008 [CLP]

Classification	Evaluation
Skin Irrit. 2; H315	Calculated
Eye Dam. 1; H318	Calculated
Skin Sens. 1; H317	Calculated

Recommended restrictions

Observe technical data sheet.

Modifications of the previous version are denoted with an asterisk (*).

This information is provided in accordance with the current status of our knowledge and experience. The Safety Data Sheet describes products with a view to relevant safety requirements. This information does not constitute a warranty of properties, features or qualities.

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name: FIS VW 360 S - Component B (Curing agent)

Revision Date: 27.10.2020

Version: 2/en



Replaces version from: 16.09.2020

Print date: 28.10.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Commercial Product Name **FIS VW 360 S - Component B (Curing agent)**

Unique Formulation Identifier (UFI) 2U70-70K6-X00N-1EF7

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses composite mortar

Recommended restrictions Observe technical data sheet.

1.3 Details of the supplier of the safety data sheet

Company designation fischerwerke GmbH & Co. KG
Klaus-Fischer-Straße 1
D-72178 Waldachtal
Telephone: +49(0)7443 12-0
FAX: +49(0)7443 12-4222
Email: info-sdb@fischer.de
Internet: www.fischer.de

Marketer Great Britain: Mrs Mirka Valovicova, fischer Fixing (UK) Ltd
Hithercroft Road
Wallingford, Oxfordshire, OX10 9AT
Telephone: +44 01491 827 920
FAX: +44 01491 827 950
Internet: www.fischer.co.uk

1.4 Emergency telephone number

Emergency telephone number +49(0)6132-84463 (24h)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 Eye Irrit. 2; H319 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410

2.2 Label elements

Hazard pictogram



GHS07



GHS09

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name: FIS VW 360 S - Component B (Curing agent)

Revision Date: 27.10.2020

Version: 2/en



Replaces version from: 16.09.2020

Print date: 28.10.2020

Signal word	Warning
Hazardous component(s) to be indicated on label	dibenzoyl peroxide , 2-methylisothiazol-3(2H)-one
H-statement(s)	H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. H410: Very toxic to aquatic life with long lasting effects.
P-statement(s)	P101: If medical advice is needed, have product container or label at hand. P102: Keep out of reach of children. P280: Wear protective gloves/protective clothing/eye protection/face protection.

2.3 Other hazards

Health hazard	No information available.
Particular information pertaining specific risk for human / environment	No information available.
Indication of danger	No information available.
Hazard precautions	No information available.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous ingredients

Ingredient	CAS No.	Classification (EC) 1272/2008	Concentration
dibenzoyl peroxide	CAS No.: 94-36-0 EC-No.: 202-327-6 Index-No.: 617-008-00-0 REACH No.: 01-2119511472-50	Org. Perox. B; H241 Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 10.0 - 100.0 %
ethanediol	CAS No.: 107-21-1 EC-No.: 203-473-3 Index-No.: 603-027-00-1 REACH No.: 01-2119456816-28	Acute Tox. 4; H302 STOT RE 2; H373	2.5 - 10.0 % by weight
2-methylisothiazol-3(2H)-one	CAS No.: 2682-20-4 EC-No.: 220-239-6 Index-No.: 613-326-00-9 REACH No.: 01-2120764690-50	Acute Tox. 3; H301 Acute Tox. 2; H330 Skin Corr. 1B; H314 Eye Dam. 1; H318 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 Skin Sens. 1A; H317	>= 0.0015 - 0.25 %

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	Take off immediately all contaminated clothing. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).
----------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name: FIS VW 360 S - Component B (Curing agent)

Revision Date: 27.10.2020

Version: 2/en



Replaces version from: 16.09.2020

Print date: 28.10.2020

If inhaled	Wear personal protection equipment (refer to section 8). Provide fresh air. In case of respiratory tract irritation, consult a physician.
In case of skin contact	After contact with skin, wash immediately with plenty of water and soap. Do NOT use solvents or thinners.
In case of eye contact	Remove contact lenses. In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.
If swallowed	If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Let water be drunk in little sips (dilution effect). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Immediate medical attention If unconscious place in recovery position and seek medical advice.

Special medical treatment Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media spray mist, (water), Water spray jet, alcohol resistant foam, carbon dioxide, Extinguishing powder

Extinguishing media which must not be used for safety reasons Full water jet

5.2 Special hazards arising from the substance or mixture

Special exposure hazards arising from the substance or preparation itself, its combustion products, or released gases Heating or fire can release toxic gas.
Fight fire with normal precautions from a reasonable distance.

5.3 Advice for firefighters

Special protective equipment for firefighting In case of fire: Wear self-contained breathing apparatus.
For the protection against direct skin contact, body protective clothing is essential (in addition to the usual working clothes).

Additional information on fire-fighting Suppress (knock down) gases/vapours/mists with a water spray jet.
Do not allow water used to extinguish fire to enter drains, ground or waterways.

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name: FIS VW 360 S - Component B (Curing agent)

Revision Date: 27.10.2020

Version: 2/en



Replaces version from: 16.09.2020

Print date: 28.10.2020

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	For non-emergency personnel Accidental release measures: Wear personal protection equipment (refer to section 8). Remove all sources of ignition. Ensure adequate ventilation, especially in confined areas.
----------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

6.2 Environmental precautions

Environmental precautions	The product should not be allowed to enter drains, water courses or the soil. Prevent spread over a wide area (e.g. by containment or oil barriers).
---------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	Allow stiffening. Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.
-------------------------	-------------------------------------------------------------------------------------------------------------------------

6.4 Reference to other sections

Reference to other sections	Reference to other sections : 7 / 8 / 13
-----------------------------	------------------------------------------

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	Keep container tightly closed. Hygiene measures: When using do not eat, drink or smoke. Wash hands before breaks and after work. Take off contaminated clothing and wash it before reuse. Caution: During machining in cured state dust is formed.
Advice on protection against fire and explosion	No special measures are necessary.

7.2 Conditions for safe storage, including any incompatibilities

Storage space and container requirements	Keep/Store only in original container. Keep container tightly closed and dry. Store in accordance with local regulations.
Unsuitable materials for containers	Keep only in original container.
Hints on storage assembly	Keep away from food, drink and animal feedingstuffs.
German storage class	10-13 (TRGS 510)

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name: FIS VW 360 S - Component B (Curing agent)

Revision Date: 27.10.2020

Version: 2/en



Replaces version from: 16.09.2020

Print date: 28.10.2020

Recommended storage temperature +5 - 25 °C

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****dibenzoyl peroxide****Great Britain****Long-term exposure value/ mg/m3****Source**

5

EH40/2005 Workplace exposure limits (2011)

ethanediol**Great Britain****Long-term exposure value/ ppm****Long-term exposure value/ mg/m3****Short-term exposure value / ppm****Short-term exposure value / mg/m3****Remarks****Note****Source**

	10			particulates only	Sk	EH40/2005 Workplace exposure limits (2011)
20	52	40	104	vapour	Sk	

Europe**Long-term exposure value/ mg/m3****Long-term exposure value/ ppm****Short-term exposure value / mg/m3****Short-term exposure value / ppm****Note****Issuing date****Source**

52

20

104

40

Skin

2000/39

DIRECTIVE 2009/161/EU

8.2 Exposure controls

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Hand protection

Health injuries are not known or expected under normal use. For prolonged or repeated contact use protective gloves.

Suitable material

Protective gloves complying with EN 374. Butyl caoutchouc (butyl rubber), CR (polychloroprene, chloroprene rubber), NBR (Nitrile rubber), Fluorinated rubber

Unsuitable material

PVC or rubber gloves are not recommended.

Material thickness

adjust to application and duration of use

Break through time

adjust to application and duration of use

Remarks

Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name: FIS VW 360 S - Component B (Curing agent)

Revision Date: 27.10.2020

Version: 2/en



Replaces version from: 16.09.2020

Print date: 28.10.2020

Note	Replace when worn.
Eye protection	Wear closely fitting protective glasses in case of splashes. Safety glasses with side-shields conforming to EN166
Skin and body protection	Long sleeved clothing
Note	Choose body protection according to the amount and concentration of the dangerous substance at the work place.
General protective and hygiene measures	Do not eat, drink or smoke when using this product. Avoid contact with the skin and the eyes. Wash hands and face before breaks and after work and take a shower if necessary. Keep away from food, drink and animal feedingstuffs. Use protective skin cream before handling the product.
Information on environmental protection regulations	No special environmental measures are necessary. see section 6/7
Engineering measures	Provide adequate ventilation.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	Paste
Colour	grey
Odour	characteristic
Odour threshold	not determined
Melting point [°C] / Freezing point [°C]	No data available
Boiling point [°C]	No data available
Flash point [°C]	> 100
Evaporation rate [kg/(s*m ²)]	No data available
Flammability (solid, gas)	No data available
Explosion limits [Vol-%]	
Remarks	No data available
Vapour pressure [kPa]	No data available
Vapour density	No data available
Density [g/cm ³]	1,7 - 1,8
Temperature	23 °C
Relative density	No data available
Solubility	No data available

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name: FIS VW 360 S - Component B (Curing agent)

Revision Date: 27.10.2020

Version: 2/en



Replaces version from: 16.09.2020

Print date: 28.10.2020

Water solubility [g/l]	No data available
Solubility [g/l]	No data available
Partition coefficient n-octanol /water (log P O/W)	No data available
Autoinflammability	not auto-flammable
Decomposition temperature [°C]	No data available
Viscosity, dynamic [kg/(m*s)]	100 - 160
Temperature	23 °C
Explosive properties	not explosive.
Oxidising properties	No

SECTION 10: Stability and reactivity

10.1 Reactivity

Reactivity No hazardous reaction when handled and stored according to provisions.
No decomposition if stored and applied as directed.

10.2 Chemical stability

Chemical stability Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

10.3 Possibility of hazardous reactions

Hazardous reactions No hazardous reaction when handled and stored according to provisions.

10.4 Conditions to avoid

Conditions to avoid The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.5 Incompatible materials

Materials to avoid Strong acids and oxidizing agents

10.6 Hazardous decomposition products

Hazardous decomposition products No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Oral toxicity [mg/kg]

Hazardous ingredients

dibenzoyl peroxide

Value	Test criterion	Test species	Source
-------	----------------	--------------	--------

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name: FIS VW 360 S - Component B (Curing agent)



Revision Date: 27.10.2020

Replaces version from: 16.09.2020

Version: 2/en

Print date: 28.10.2020

> 5000	LD50	rat	Company data
--------	------	-----	--------------

ethanediol				
Value	Test criterion	Test species	Remarks	Source
5840	LD50	Rat	*1)	Company data

*1): Harmonised (legal) classification. Harmful if swallowed.

2-methylisothiazol-3(2H)-one		
Value	Test criterion	Source
600	LC50	Company data

Dermal toxicity [mg/kg]**Hazardous ingredients**

ethanediol			
Value	Test criterion	Test species	Source
> 3500	LD50	rabbit	Company data

2-methylisothiazol-3(2H)-one		
Value	Test criterion	Source
> 5000	LD50	Company data

Inhalative toxicity [mg/l]**Hazardous ingredients**

dibenzoyl peroxide			
Value	Test criterion	Test species	Source
> 24300	LC50	rat	Company data

ethanediol			
Value	Test criterion	Test species	Source
> 5	LC50	rat	Company data

Irritant effect on skin**Hazardous ingredients**

ethanediol	
Value	Source
Based on available data, the classification criteria are not met.	Company data

Irritant effect on eyes**Hazardous ingredients**

ethanediol	
Value	Source
Based on available data, the classification criteria are not met.	Company data

Sensitization**Hazardous ingredients**

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name: FIS VW 360 S - Component B (Curing agent)



Revision Date: 27.10.2020

Replaces version from: 16.09.2020

Version: 2/en

Print date: 28.10.2020

ethanediol	
Value	Source
not sensitising. Based on available data, the classification criteria are not met.	Company data

2-methylisothiazol-3(2H)-one			
Value	Measuring method	Test species	Source
Skin sensitisation	OECD 429	Mouse	Company data

Carcinogenic effects**Hazardous ingredients**

ethanediol	
Value	Source
Contains no ingredient listed as a carcinogen	Company data

Mutagenicity**Hazardous ingredients**

ethanediol	
Value	Source
Not applicable.	Company data

Reproduction toxicity**Hazardous ingredients**

ethanediol	
Value	Source
Not applicable.	Company data

Caustic effect**Hazardous ingredients**

ethanediol	
Value	Source
No data available	Company data

Specific target organ toxicity (single exposure) [mg/kg]**Hazardous ingredients**

ethanediol	
Remarks	Source
*1)	Company data

*1): Based on available data, the classification criteria are not met.

Specific target organ toxicity (repeated exposure) [mg/kg]**Hazardous ingredients**

ethanediol			
Route of exposure	Organs affected	Specific effects	Source
Ingestion	Causes damage to kidneys if swallowed.	Causes damage to organs through prolonged or repeated exposure.	Company data

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name: FIS VW 360 S - Component B (Curing agent)



Revision Date: 27.10.2020

Replaces version from: 16.09.2020

Version: 2/en

Print date: 28.10.2020

Skin contact	May cause damage to kidneys in contact with skin.	Causes damage to organs through prolonged or repeated exposure.	Company data
--------------	---------------------------------------------------	-----------------------------------------------------------------	--------------

SECTION 12: Ecological information**12.1 Toxicity****Toxicity to fish [mg/l]****Hazardous ingredients**

dibenzoyl peroxide			
Value	Test criterion	Exposure duration	Source
0,06	LC50	96 h	Company data

ethanediol				
Value	Test criterion	Test species	Exposure duration	Source
72860	LC50	Pimephales promelas (fat-head minnow)	96 h	Company data

2-methylisothiazol-3(2H)-one					
Value	Test criterion	Test species	Measuring method	Exposure duration	Source
30	LC50	On-corhynchus mykiss (Rainbow trout)	OECD 203	96 h	Company data

Toxicity to daphnia [mg/l]**Hazardous ingredients**

dibenzoyl peroxide				
Value	Test criterion	Test species	Exposure duration	Source
0,11	EC50	Daphnia magna (Big water flea)	48 h	Company data

ethanediol				
Value	Test criterion	Test species	Exposure duration	Source
> 100	EC50	Daphnia magna (Water flea)	48 h	Company data

2-methylisothiazol-3(2H)-one					
Value	Test criterion	Test species	Exposure duration	Measuring method	Source
8,4	EC50	Daphnia magna (Big water flea)	48 h	OECD 202	Company data

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name: FIS VW 360 S - Component B (Curing agent)

Revision Date: 27.10.2020

Version: 2/en



Replaces version from: 16.09.2020

Print date: 28.10.2020

Toxicity to algae [mg/l]**Hazardous ingredients**

dibenzoyl peroxide			
Value	Test criterion	Exposure duration	Source
0,06	EC50	72 h	Company data

ethanediol				
Value	Test criterion	Test species	Exposure duration	Source
> 6500	EC50	Selenastrum capricornutum	96 h	Company data

2-methylisothiazol-3(2H)-one					
Value	Test criterion	Test species	Exposure duration	Measuring method	Source
0,79	IC50:	Pseudokirchneriella subcapitata	72 h	OECD 201	Company data

NOEC (fish) [mg/l]**Hazardous ingredients**

ethanediol			
Value	Test criterion	Test species	Source
15380	NOEC	Pimephales promelas (fathead minnow)	Company data

2-methylisothiazol-3(2H)-one				
Value	Test criterion	Test species	Measuring method	Source
11,9	NOEC	Pimephales promelas (fathead minnow)	OECD 210	Company data

NOEC (daphnia) [mg/l] 1
 Test criterion NOEC
 Test species Daphnia magna (Big water flea)
 Measuring method OECD 202
 Remarks Mixture related information (Experimental data)

NOEC (algae) [mg/l] 0,5
 Test criterion NOEC
 Test species Pseudokirchneriella subcapitata
 Measuring method OECD 201
 Remarks Mixture related information (Experimental data)

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name: FIS VW 360 S - Component B (Curing agent)

Revision Date: 27.10.2020

Version: 2/en



Replaces version from: 16.09.2020

Print date: 28.10.2020

12.2 Persistence and degradability

Biodegradability

Hazardous ingredients

ethanediol		
Remarks	Value	Source
Readily biodegradable.	90 - 100 %	Company data

2-methylisothiazol-3(2H)-one	
Value	Source
Readily biodegradable.	Company data

12.3 Bioaccumulative potential

Bioaccumulation

Hazardous ingredients

ethanediol	
Value	Source
Bioaccumulation is unlikely.	Company data

12.4 Mobility in soil

Mobility

Hazardous ingredients

ethanediol	
Value	Source
Not applicable.	Company data

12.5 Results of PBT and vPvB assessment

Results of PBT characteristics determination

Hazardous ingredients

ethanediol	
Value	Source
Not applicable.	Company data

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Disposal considerations

Do not allow to enter into surface water or drains.

Dispose of waste according to applicable legislation.

Empty remaining contents.

Empty packaging: Where possible recycling is preferred to disposal or incineration.

Product: Can be disposed of as a solid waste or burned in a suitable installation subject to local regulations.

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name: FIS VW 360 S - Component B (Curing agent)

Revision Date: 27.10.2020

Version: 2/en



Replaces version from: 16.09.2020

Print date: 28.10.2020

Waste Code

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific.

The following Waste Codes are only suggestions:

Product (Mortar and Curing agent)

200127 - paint, inks, adhesives and resins containing dangerous substances

080409 - waste adhesives and sealants containing organic solvents or other dangerous substances

cured material and completely squeezed cartridges

200000 - MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS

SECTION 14: Transport information

	Land transport ADR/RID	Marine transport IMDG	Air transport ICAO/IATA
14.1 UN-No	Not applicable.	Not applicable.	Not applicable.
14.2 Description of the goods	No dangerous good according to ADR	No dangerous good according to IMDG	No dangerous good according to IATA
14.3 Transport hazard class(es)	Not applicable.	Not applicable.	Not applicable.
14.4 Packaging group	Not applicable.	Not applicable.	Not applicable.
14.5 Environmental hazards	Not applicable.	Not applicable.	Not applicable.
14.2 UN proper shipping name		Non dangerous good	Non dangerous good

14.6 Special precautions for user

Precautions No special measures are necessary.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL and the IBC Code not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Decopaint regulation not relevant

Carcinogenic hazardous substance as per Annex II GefStoffV No

Restriction of occupation. no restriction

15.2 Chemical safety assessment

Safety assessment For this preparation a chemical safety assessment has been carried out.

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name: FIS VW 360 S - Component B (Curing agent)

Revision Date: 27.10.2020

Version: 2/en



Replaces version from: 16.09.2020

Print date: 28.10.2020

Additional regulations This safety data sheet contains more than one ES in an integrated form. Contents of the exposure scenarios have been included into sections 1.2, 8, 9, 12, 15 and 16 of this safety data sheet.

This Safety Data Sheet is prepared according to Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

SECTION 16: Other information

Relevant H-phrases H241: Heating may cause a fire or explosion.
H301: Toxic if swallowed.
H302: Harmful if swallowed.
H314: Causes severe skin burns and eye damage.
H317: May cause an allergic skin reaction.
H318: Causes serious eye damage.
H319: Causes serious eye irritation.
H330: Fatal if inhaled.
H400: Very toxic to aquatic life.
H410: Very toxic to aquatic life with long lasting effects.
H411: Toxic to aquatic life with long lasting effects.

Wording of the hazard classes Eye Irrit.: Serious eye irritation
Skin Sens.: Skin sensitization
Aquatic Acute: Hazardous to the aquatic environment
Aquatic Chronic: Hazardous to the aquatic environment
Acute Tox.: Acute toxicity
STOT RE: Specific target organ toxicity - repeated exposure
Eye Dam.: Serious eye damage

Classification for mixtures and used evaluation method according to regulation (EC) 1272/2008 [CLP]

Classification	Evaluation
Eye Irrit. 2; H319	Calculated
Skin Sens. 1A; H317	Calculated
Aquatic Acute 1; H400	Calculated
Aquatic Chronic 1; H410	Calculated

Recommended restrictions Observe technical data sheet.

Modifications of the previous version are denoted with an asterisk (*).

This information is provided in accordance with the current status of our knowledge and experience. The Safety Data Sheet describes products with a view to relevant safety requirements. This information does not constitute a warranty of properties, features or qualities.