
Brackets PFUF D

Connectors PFUF 2D, 3D and 4D for multi-sided constructions





Frame constructions



Frame constructions

Applications


- · Connecting elements for multidimensional constructions with FUS channels connected by the push-through connector PFCN.
- · For use in dry interior areas.


Advantages


- · The multidimensional PFUF construction elements enable multidimensional constructions in a very short time.
- · The holes in the construction elements make them compatible with the pushthrough connector PFCN.
- · The different shapes of the construction elements generate a high flexibility for channel constructions.
- · Simple creation of channel constructions in connection with FUS channels and PFCN 41.
- · Quick assembly by 90° rotation of the push-through connector PFCN 41 in the channel.

Properties

- · Material: steel DD11 (material no. 1.0332) acc. to DIN EN 10111
- · Zinc plating: electro zinc-plated








PFUF 2D PFUF 3DL

PFUF 3DR



PFUF 4D

Technical data

		Sales unit
	Item no.	[pcs]
Item		
PFUF 2D	563148	10
PFUF 3DL	535273	10
PFUF 3DR	535274	10
PFUF 4D	535275	10

See push-through connector PFCN for loads.

Bracket PFUF D zl

Construction elements - Bracket PFUF 2D, 3D and 4D









Frame constructions

Applications


- · Connecting elements for multidimensional constructions with FUS channels connected by the push-through connector PFCN zl.
- · For indoor and outdoor application.


Advantages


- · The multidimensional PFUF zl construction elements enable multidimensional constructions in a very short time.
- · The holes in the construction elements make them compatible with the pushthrough connector PFCN zl.
- · Simple creation of channel structures in conjunction with FUS channels and PFCN 41 zl.
- · Quick installation by rotating the PFCN 41 zl in the channel by 90° clockwise.
- · The different shapes of the construction elements generate a high flexibility for channel constructions.

Properties

- · Material: steel DD11 (material no. 1.0332) acc. to DIN EN 10111
- · Coating: zinclamella








PFUF 2D

PFUF 3DL





PFUF 4D

Technical data

		Sales unit
	Item no.	[pcs]
Item		
PFUF 2D zl	563149	10
PFUF 3DL zl	542730	10
PFUF 3DR zI	542731	10
PFUF 4D zl	542732	10

See push-through connector PFCN 41 zl for loads

Construction elements - Brackets PFUF 2D A4, 3D A4 and 4D A4





Frame constructions



Frame constructions

Applications


- Connecting elements for multidimensional constructions with FUS channels connected by the push-through connector PFCN.
- For indoor and outdoor applications and in environments with high stress to components due to corrosion


Advantages


- The multidimensional PFUF A4 construction elements enable multidimensional constructions in a very short time.
- The holes in the construction elements make them compatible with the push-through connector PFCN.
- The different shapes of the construction elements generate a high flexibility for channel constructions.

Properties

 Material: stainless steel A4 (material no. 1.4401)








PFUF 3DL

PFUF 3DR



PFUF 4D

Technical data

PFUF 2D

		Sales unit
	Item no.	[pcs]
Item		
PFUF 2D A4	563150	10
PFUF 3DL A4	562843	10
PFUF 3DR A4	562844	10
PFUF 4D A4	562845	10

See push-through connector PFCN 41 A4 for loads.