


Flange FUF

Construction elements - Mounting brackets FUF

4



3D-frame constructions

Applications


- Connecting elements for multi-dimensional channel constructions.
- For use in dry interior areas.

Advantages


- The various shapes of the connecting elements offer flexibility during the installation of channel constructions.
- The holes in the connecting elements make them compatible with the FCN Clix P.

Properties


- Material: steel S235JR (material no. 1.0037) acc. to DIN EN 10025
- Zinc plating: electro zinc-plated



FUF 4Y




FUF 180°L



FUF 180°R

4



FUF 8T

Technical data

Item	Item no.	Sales unit
		[pcs]
FUF 4Y	504378	20
FUF 180°L	504379	20
FUF 180°R	504383	20
FUF 8T	504387	10

See channel nut FCN Clix P for loads.

Bracket FUF 180° hdg

Construction elements - mounting brackets FUF hdg



3D-frame constructions

10

Applications


- Connecting elements for multi-dimensional channel constructions.
- For indoor and outdoor application.

Advantages


- The various shapes of the connecting elements offer flexibility when it comes to the installation of channel constructions.
- The holes in the connecting elements make them compatible with the FCN Clix P.

Properties


- Material: steel S235JR (material no. 1.0037) acc. to DIN EN 10025
- Zinc plating: hot-dip galvanised




FUF 4Y



FUF 180°L



FUF 180°R



FUF 8T

10

Technical data

Item	Item no.		Sales unit
			[pcs]
FUF 4Y hdg	537585		20
FUF 180°L hdg	537586		20
FUF 180°R hdg	537587		20
FUF 8T hdg	537590		10

See channel nut FCN Clix P hdg. for loads