


Adjusting screw FAFS-PF.
The removable frame screw
for precise adjustment of
pre-drilled frames.



Adjusting screw FAFS-PF.

The problem-solver for steplessly adjustable assembly of timber constructions or frames.



- Advantages at a glance**
- The countersunk clip of the screw does not rotate during adjustment. The screw head maintains its position in the attachment part. Flush installation is ensured, without protruding screw heads.
 - The special operating principle allows for stepless adjustment. The attachment part can be aligned with a high level of precision.
 - The thread on the clip enables an unscrewing from the attachment part, facilitating disassembly.
 - The PowerFast II chipboard screw used ensures the screw bites quickly into the material and screws in fast.
 - The plastic plug ensures the screw sits firmly in the pre-drilled frame.

Functions, applications and installations.

Functioning

- The FAFS-PF is suitable for push-through installation.
- With the setting tool attached to the bit, the adjusting screw can be screwed into the attachment flush with the surface or slightly countersunk.
- The bit can be used to steplessly adjust the component distance, without the setting tool and by changing the direction of rotation. The clip maintains its position in the attachment part during adjustment.
- The screw can be used in masonry with the fischer DuoPower 6x50 or UX 6x50 and after pre-drilling a 6 mm diameter hole.
- With the bit and the setting tool attached, the adjusting screw can be dismantled by turning it anti-clockwise.

Applications




Door frames




Window frames

Installation




Adjustment





Assortment



Adjusting screw FAFS-PF



FAFS-PF

Item	Art.-No.	Approval ETA	Screw dimension		Thread length l_0 [mm]	Minimum anchorage depth h_{et} [mm]	Minimum timber thickness d_s [mm]	Maximum distance a [mm]	Drive	Dimension of plastic plug $d \times l$ [mm]	Sales unit [pcs]
			$d_s \times l_s$ [mm]								
FAFS 5x80 TX25 PF	562782	●	5x80		45	20	45	60	TX25	5x20	100
FAFS 5x90 TX25 PF	562783	●	5x90		54	20	45	70	TX25	5x20	100
FAFS 5x100 TX25 PF	562784	●	5x100		60	20	45	80	TX25	5x20	100
FAFS 5x120 TX25 PF	562785	●	5x120		70	20	45	100	TX25	5x20	100

Setting tool and bit



Bit

Setting tool

Item	Art.-No.	Match	Drive	Sales unit [pcs]	Type of packaging
FAFS Setting tool and bit	558883	For installation and adjustment of FAFS	TX25	1	Plastic box

PowerFast II Screws. Superheroes in wood.



www.fischer-international.com/superheroes

fischer Service.

Our 360° service to you.

From software solutions, to training, to personal consulting. As a reliable partner, we are always happy to assist you with words and deeds.



Design Software FiXperience Suite.


The fischer design Software FiXperience gives you safe and reliable support in measuring your projects whether you are a planner, structural engineer or craftsman. Measuring has never been so simple!

Test it now and download it for free:
www.fischer-international.com/fixperience



Professional App. The Mobile Guide to Fixing Solutions for Professionals.

The fischer Professional App is a mobile guide to fixing solutions offering professionals the opportunity to quickly and easily find out about products, identify the right fixing solution through the digital guide and/or find a local dealer. Download now from Apple App Store or Google Play Store.



Dealer:

www.fischer-international.com



fischer stands for

Fixing Systems
fischertechnik
Consulting
Electronic Solutions

fischerwerke GmbH & Co. KG
Klaus-Fischer-Straße 1 · 72178 Waldachtal
Germany
P +49 7443 12-0
www.fischer-international.com · info@fischer.de
