




fischer 


**Concrete screw
FBS 4 and 5 –
Efficient and fast
installation.**

Concrete screw FBS 4 and 5

The cost-efficient concrete screw for high installation ease.



Fixing of cable clamps and junction boxes



Fixing of empty metal pipes



Recommendations

Suitable for building materials, such as:



Cracked concrete Uncracked concrete Brick (solid brick) Solid sand-lime bricks

Installation concrete screw FBS 4 and 5



Technical data

Concrete screw FBS 4 and 5 zp



	FBS 4/5 P	FBS 4 Cable Clamp	FBS 5 SK	FBS 5 US	FBS 5 M6/9				
	Galvani- sed steel	Drill diameter	Min. drill hole depth	Screw outer dia- meter x length	Head-ø	Nominal em- bedment depth / thickness of fixture	Nominal em- bedment depth / thickness of fixture	Drive	Sales unit
Item	Item no. gvz	d ₀ [mm]	h ₁ [mm]	d _s x L [mm]	d _h [mm]	h _{nom1} / t _{fix} [mm]	h _{nom2} / t _{fix} [mm]		[pcs]
FBS 4 x 30 /1 P	579370	4	40	5 x 30	9.3	30 / 1	-	TX25	200
FBS 4 x 50 20/15 P	579371	4	60	5 x 50	9.3	30 / 20	35 / 15	TX25	200
FBS 4 x 40 10/5 cable clamp screw	579372	4	50	5 x 40	7.6	30 / 10	35 / 5	TX20	200
FBS 5 x 40 /5 P	579367	5	50	6 x 40	11.8	35 / 5	-	TX30	100
FBS 5 x 50 15/5 P	579368	5	60	6 x 50	11.8	35 / 15	45 / 5	TX30	100
FBS 5 x 60 25/15 P	579369	5	70	6 x 60	11.8	35 / 25	45 / 15	TX30	100
FBS 5 x 40 /5 SK	579364	5	50	6 x 40	10.4	35 / 5	-	TX25	100
FBS 5 x 50 15/5 SK	579365	5	60	6 x 50	10.4	35 / 15	45 / 5	TX25	100
FBS 5 x 60 25/15 SK	579366	5	70	6 x 60	10.4	35 / 25	45 / 15	TX25	100
FBS 5 x 40 /5 US	579360	5	50	6 x 40	11.3	35 / 5	-	SW 8	100
FBS 5 x 50 15/5 US	579361	5	60	6 x 50	11.3	35 / 15	45 / 5	SW 8	100
FBS 5 x 60 25/15 US	579362	5	70	6 x 60	11.3	35 / 25	45 / 15	SW 8	100
FBS 5 x 70 35/25 US	579363	5	80	6 x 70	11.3	35 / 35	45 / 25	SW 8	100
FBS 5 x 45 M6/9	579373	5	55	6 x 45	10.8	-	45 / -	SW 10	100

Dealer:

www.fischer-international.com



fischer stands for

Fixing Systems
fischertechnik
Consulting
Electronic Solutions

fischerwerke GmbH & Co. KG
Klaus-Fischer-Straße 1 · 72178 Waldachtal
Germany
P +49 7443 12-0
www.fischer-international.com · info@fischer.de
